




WIDE BATTEN 1500



Wide Batten 1500

The Wide Batten 1500 with dual wattage switch for ultimate versatility in one fitting. As a direct replacement for T5 and T8 fluorescent tubes, the wide batten is ideal for either commercial or residential space.




FEATURES AND BENEFITS

- 40/60W
- Available in 1500x160x62mm
- Dual colour in 3000K and 4000K
- High efficacy up to 100lm/W
- Beam angle 120°
- IP20
- Polycarbonate housing
- Easy install thanks to 6mm terminal block
- Lifetime 50000 hours

AREAS OF APPLICATION

- Reception areas and foyers
- Garages
- Corridors, stairways, and entrance areas
- Entrances and hallways
- Retail and hospitality

AVAILABLE SIZES




40/60W
1500x160x62mm

SPECIFICATIONS


Wattage	40/60W	Connection Type	Terminal block
Lumens	4000, 6000	PF	>0.9
lm/W	100	Voltage	220-240V
CCT	3000K/4000K	Frequency	50/60Hz
IP Rating	IP20	Mounting Type	Surface mounting
IK Rating	IK06	Operating Temperature	-20°C to 40°C
Housing Material	Polycarbonate	Lifetime	50000 hours
Beam Angle	120°		
CRI	>80		
Electrical Classification	Class II		

PHOTOMETRICS

60W 3000K



DIMENSIONS



40/60W
1500x160x62mm

ORDERING CODES - WIDE BATTEN 1500



Product name	EAN10	W	lm	K		lm/W					
--------------	-------	---	----	---	--	------	--	--	--	--	--

WIDE BATTEN 1500

LDVAL BAT 1500 40/60W 830/840 4X1 AU LEDV	4099854232268	40/ 60	4000/ 6000	3000/ 4000	120	100	*	1500	160	62	2360
---	----------------------	-----------	---------------	---------------	-----	-----	---	------	-----	----	------

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.



LEDVANCE

Customer Service
Phone: 1300 467 726
E-mail: sales.au@ledvance.com

LEDVANCE Pty Ltd
Unit 3, 83 Derby St
Silverwater NSW 2128
Australia

LEDVANCE.COM.AU



WIDE BATTEN 1500 13/12/23