



Cable Accessories Contents



Round Multi Fit
Cable Clips



Round Cable Clips




Flat Cable Clips



Aluminium Pin Clips



P Clips



Spiral Ties



Loom Tube



Bushing Sleeve



PVC Conduit Bushes



Screw Connectors



PVC Sleeving



Nylon Glands



Brass Packed Glands



Nicote Cable Glands



Cooper Crimp Lugs



Copper Bell-Mouth
Crimp Lugs



Copper Crimp Lugs
(Blank)



Copper Crimp Sleeves



Ring Terminals



Fork Terminals




Quick Connects




Fully Insulated
Quick Connects




Male Tabs



Piggy Back
Quick Connects



Pin Connectors



Lip Blade Terminals



Bootlace End Terminals



Twin Bootlace End Terminals



End Connectors



In-line Splice

Contents Continues... Please Turn Over...

Cable Accessories Contents



22

Heat Shrink In-line Splice



22

Bullet Connectors
(Female)




22

Bullet Connectors
(Male)




23

Wire Nuts



23

Snap Connectors




23

Brass Quick Connects



24

Brass Tabs



24

Nickel Silver Quick Connects



24

Telcon Connectors



25

Elmark Float Switch



25

Flush Boxes




25

Junction Boxes



25

Surface Plate



26

Surface Sockets




26

Batten Holder



26

Mounting Block



26

Trunking Open Slots



26

Danger Tapes



27

Self Amalgamating Tapes



27

PVC Tapes



27

Duct Tapes

Round Multi Fit Cable Clips

Euro, multi-fit design gives greater flexibility, each cable clip accepts a larger range of cable sizes. Only three sizes are required for cables from 5mm to 19mm diameter. Use for securing conduits & circular cable such as telephone, coaxial & flexible cables. Manufactured from impact resistant PE & fitted with hardened steel nails.



ESC Code	Size	Description	Colour	Nail Diameter	Nail Length	Jar Qty	UOM
CC0507R	5 - 7	RG6/59 Coax, Cable TV, 3/0.75 Flex	White	2.0mm	20mm	100	jar
CC0507RB	5 - 7	RG6/59 Coax, Cable TV, 3/0.75 Flex	Black	2.0mm	20mm	100	jar
CC0810R	8 - 10	3/1.0mm & 3/1.5mm PVC Flex Cable	White	2.0mm	25mm	100	jar
CC0810RB	8 - 10	3/1.0mm & 3/1.5mm PVC Flex Cable	Black	2.0mm	25mm	100	jar
CC1115R	11 - 15	3/2.5mm Flex & Misc Cables	White	2.0mm	35mm	50	jar
CC1619R	16 - 19	Misc Cables & Conduits	White	2.5mm	45mm	50	jar

Round Cable Clips

Cable clips for securing round cables. Manufactured from impact resistant PE fitted with hardened steel nails.



ESC Code	Size	Description	Colour	Jar Qty	UOM
CC4R	4mm	2.5mm, 4mm Conduit Wire, 3pr Telecom	White	100	jar
CC5R	5mm	6mm Conduit Wire	White	100	jar
CC5RB	5mm	6mm Conduit Wire	Black	100	jar
CC6R	6mm	RG6/59 Coaxial Cables (Thick option available CC6MRB)	White	100	jar
CC6RB	6mm	RG6/59 Coaxial Cables	Black	100	jar
CC6MRB	6mm	6mm Masonry Nail Black 100 Jar	Black	100	jar
CC7R	7mm	Cable Sky TV Cables & 7mm Dia Cable	White	100	jar
CC7RBK	7mm	Cable Sky TV Cables & 7mm Dia Cable	Black	100	jar
CC8R	8mm	8mm Dia Cable	White	100	jar
CC10R	10mm	10mm Dia Cable	White	50	jar
CC12R	12mm	12mm Dia Cable	White	50	jar
CC16R	16mm	16mm Dia Cable & Conduits	White	50	jar
CC20R	20mm	20mm Dia Cable & Conduits	White	50	jar

Flat Cable Clips

Flexible design accepts several sizes per clip. For securing multi-core, flat insulated & PVC sheathed cables.



ESC Code	Size	Description	Colour	Nail Diameter	Nail Length	Jar Qty	UOM
CC6F	6mm	6mm 2/0.75mm Truerip, 2/1.0mm TPS	White	2.0mm	15mm	100	jar
CC8F	8mm	8mm 2/1.0mm+E, 2/1.5mm, 2/2.5mm TPS	White	2.0mm	15mm	90	jar
CC8F1000	8mm	Cable Clip Flat 8mm Natural 1000 Pack	White	2.0mm	15mm	1000	pack
CC12F	12mm	12mm 2/1.0mm+E, 2/2.5mm+E TPS	White	2.5mm	18mm	100	jar
CC15F	15mm	15mm 2/4.0mm+E, 2/6.0mm+E TPS	White	2.5mm	22mm	75	jar

Aluminium Pin Clips

Aluminium pin clips fitted with a nail suitable for nailing into wood to hold cable etc. Supplied in cardboard box.



ESC Code	Length	Packet Qty	Outer Packs	UOM
SUP1PC	38mm	200	10	pkt
SUP2PC	45mm	200	10	pkt
SUP3PC	50mm	200	10	pkt
SUP4PC	57mm	200	10	pkt
SUP5PC	64mm	200	10	pkt
SUP6PC	76mm	200	10	pkt

Cable Accessories

P Clips

Manufactured in nylon 66 material. Supplied in clear PVC bags.



ESC Code	Size ID	Width	Hole Diameter	Colour	Pkt Qty	UOM
PC03	3.18mm	9.6mm	5mm	Natural	100	pkt
PC05	4.94mm	9.6mm	5mm	Natural	100	pkt
PC06	6.35mm	10mm	5mm	Natural	100	pkt
PC08	7.7mm	10mm	5mm	Natural	100	pkt
PC08BK	7.7mm	10mm	5mm	Black	100	jar
PC08BK1000	7.7mm	10mm	5mm	Black	1000	pack
PC10	9.85mm	12mm	5mm	Natural	100	pkt
PC13	12.70mm	12mm	5mm	Natural	100	pkt
PC16	15.87mm	12mm	5mm	Natural	100	pkt
PC19	18.5mm	12mm	5mm	Natural	100	pkt
PC25	24.6mm	12mm	5mm	Natural	100	pkt
PC32	31.75mm	12mm	5mm	Natural	100	pkt

Spiral Ties

Flexible design accommodates a wide range of cable diameters to be wrapped into a neat loom. Open spiral offers protection & cable breakouts at any point. Available standard in natural and UV black. Flame retardant also available on request.



ESC Code	OD Metric	OD Imperial	Max Temp	Colour	Coil Length	UOM
ST4	4mm	1/8"	90°C	Natural	10m	coil
ST4B	4mm	1/8"	90°C	UV Black	10m	coil
ST6	6mm	1/4"	90°C	Natural	10m	coil
ST6B	6mm	1/4"	90°C	UV Black	10m	coil
ST8	8mm	5/16"	90°C	Natural	10m	coil
ST8B	8mm	5/16"	90°C	UV Black	10m	coil
ST10	10mm	3/8"	90°C	Natural	10m	coil
ST10B	10mm	3/8"	90°C	UV Black	10m	coil
ST12	12mm	1/2"	90°C	Natural	10m	coil
ST12B	12mm	1/2"	90°C	UV Black	10m	coil
ST20	20mm	3/4"	90°C	Natural	10m	coil
ST20B	20mm	3/4"	90°C	UV Black	10m	coil
ST25	25mm	1"	90°C	Natural	10m	coil
ST25B	25mm	1"	90°C	UV Black	10m	coil
ST32B	32mm	1 1/4"	90°C	UV Black	10m	coil
ST50B	50mm	2"	90°C	UV Black	10m	coil

Loom Tube (Split Tube)

Used for cable protection on machinery etc. Creates looms from loose wires, simple way to create a wire harness. NOTE: Bulk length coils available on request.



ESC Code	Inside Diameter	Outside Diameter	Wall Thickness	Colour	Coil Length	UOM
LT11	10.5mm	14mm	0.27mm	Black	10m	coil
LT13	13mm	17.5mm	0.27mm	Black	10m	coil
LT15	15mm	20mm	0.27mm	Black	10m	coil
LT20	20mm	24mm	0.27mm	Black	10m	coil
LT25	25mm	30mm	0.30mm	Black	10m	coil
LT28	28mm	34mm	0.30mm	Black	10m	coil

Bushing Sleeve

Flexible sleeving for edging switchboard cut-outs etc. Protects cables from chaffing. NOTE: 100 metre coils available on indent on request.



ESC Code	Slot Width	Material	Colour	Coil Length	UOM
BS1	1.0mm	Nylon	Natural	10m	coil
BS16	1.6mm	Nylon	Natural	10m	coil
BS24	2.4mm	Nylon	Natural	10m	coil
BS32	3.2mm	Nylon	Natural	10m	coil

PVC Conduit Bushes

Cable protection in cabinets etc.



Male Bush



Female Bush



Male End Stop

ESC Code	Size ID	Type	Hole Diameter	Colour	Box Qty	UOM
CB16M	16mm	Male	Bush	Grey	50	ea
CB20M	20mm	Male	Bush	Grey	50	ea
CB25M	25mm	Male	Bush	Grey	50	ea
CB32M	32mm	Male	Bush	Grey	25	ea
CB40M	40mm	Male	Bush	Grey	25	ea
CB50M	50mm	Male	Bush	Grey	10	ea
CB16F	16mm	Female	Bush	Grey	50	ea
CB20F	20mm	Female	Bush	Grey	50	ea
CB25F	25mm	Female	Bush	Grey	50	ea
CB32F	32mm	Female	Bush	Grey	25	ea
CB40F	40mm	Female	Bush	Grey	25	ea
CB50F	50mm	Female	Bush	Grey	10	ea
CB16S	16mm	Male	End Stop	Grey	50	ea
CB20S	20mm	Male	End Stop	Grey	50	ea
CB25S	25mm	Male	End Stop	Grey	50	ea

Screw Connectors

Low voltage insulated clear high impact plastic + solid brass connector. Supplied in re-usable jar.



ESC Code	Type	Cable Size	Amps	Colour	Diameter	Jar Qty	UOM
TBC1J	Single Screw (Active)	4 x 2.5mm	32	Clear	5mm	100	jar
TBC2J	Double Screw (Earth)	4 x 2.5mm	32	Clear	5mm	60	jar

Cable Accessories

PVC Sleeving

Suitable for colour cable identification, supplied in convenient hang-sell plastic bags.

	ESC Code	ID Metric	ID Imperial	Colour	Coil Length	UOM
	PS2R10	2mm	1/16"	Red	10m	coil
	PS2BK10	2mm	1/16"	Black	10m	coil
	PS2G10	2mm	1/16"	Green	10m	coil
	PS3R10	3mm	3/32"	Red	10m	coil
	PS3BK10	3mm	3/32"	Black	10m	coil
	PS3G10	3mm	3/32"	Green	10m	coil
	PS4R10	4mm	1/8"	Red	10m	coil
	PS4BK10	4mm	1/8"	Black	10m	coil
	PS4G10	4mm	1/8"	Green	10m	coil
	PS4BL10	4mm	1/8"	Blue	10m	coil
	PS4GY10	4mm	1/8"	Green Yellow	10m	coil
	PS5R10	5mm	5/32"	Red	10m	coil
	PS5BK10	5mm	5/32"	Black	10m	coil
	PS5G10	5mm	5/32"	Green	10m	coil
	PS5GY10	5mm	5/32"	Green Yellow	10m	coil
	PS6R10	6mm	1/4"	Red	10m	coil
	PS6BK10	6mm	1/4"	Black	10m	coil
	PS6G10	6mm	1/4"	Green	10m	coil
	PS6GY10	6mm	1/4"	Green Yellow	10m	coil
	PS8R10	8mm	5/16"	Red	10m	coil
	PS8BK10	8mm	5/16"	Black	10m	coil
	PS8G10	8mm	5/16"	Green	10m	coil
	PS8GY10	8mm	5/16"	Green Yellow	10m	coil
	PS10R10	10mm	3/8"	Red	10m	coil
	PS10BK10	10mm	3/8"	Black	10m	coil
	PS10G10	10mm	3/8"	Green	10m	coil
	PS10GY10	10mm	3/8"	Green Yellow	10m	coil
	PS12R10	12mm	1/2"	Red	10m	coil
	PS12BK10	12mm	1/2"	Black	10m	coil
	PS12G10	12mm	1/2"	Green	10m	coil
	PS12GY10	12mm	1/2"	Green Yellow	10m	coil
	PS12BK30	12mm	1/2"	Black	30m	coil
	PS16R10	16mm	5/16"	Red	10m	coil
	PS16BK10	16mm	5/16"	Black	10m	coil
	PS16G10	16mm	5/16"	Green	10m	coil
	PS16GY10	16mm	5/16"	Green Yellow	10m	coil
	PS20R10	20mm	3/4"	Red	10m	coil
	PS20BK10	20mm	3/4"	Black	10m	coil
	PS20G10	20mm	3/4"	Green	10m	coil
	PS25R10*	25mm	1"	Red	10m	coil
	PS25BK10*	25mm	1"	Black	10m	coil

NOTE - 10 metre coils standard length, if 30 metre coils required replace 10 with 30 at end of code.

NOTE - other sizes and colours also available on request.

*Indent items

Nylon Glands - IP68

Complete with locknut & neoprene seal washer. Manufactured from nylon 66 Temp rating -40°C to +85°C.

Metric Thread - Black



ESC Code	Thread	Cable OD	Colour	Box Qty	UOM
NG12	12mm	3 - 6.5mm	Black	50	ea
NG16	16mm	5 - 10mm	Black	50	ea
NG20	20mm	10 - 14mm	Black	35	ea
NG25	25mm	13 - 18mm	Black	15	ea
NG32	32mm	18 - 25mm	Black	10	ea
NG40	40mm	22 - 32mm	Black	5	ea
NG50	50mm	30 - 38mm	Black	2	ea
NG63	63mm	34 - 44mm	Black	2	ea

Metric Thread - Grey



ESC Code	Thread	Cable OD	Colour	Box Qty	UOM
NG16G	16mm	5 - 10mm	Grey	50	ea
NG20G	20mm	10 - 14mm	Grey	35	ea
NG25G	25mm	13 - 18mm	Grey	15	ea
NG32G	32mm	18 - 25mm	Grey	10	ea
NG40G	40mm	22 - 32mm	Grey	5	ea
NG50G	50mm	30 - 38mm	Grey	2	ea
NG63G	63mm	34 - 44mm	Grey	2	ea

Brass Packed Glands - IP68

Extra heavy duty glands supplied with locknut. Manufactured from nickel plated brass. Temp rating -40°C to +100°C.

Metric Thread



ESC Code	Thread	Cable OD	Colour	Box Qty	UOM
MG12	12mm	3 - 6mm	Nickel Plated	25	ea
MG16	16mm	5 - 10mm	Nickel Plated	25	ea
MG20	20mm	8 - 13mm	Nickel Plated	20	ea
MG25	25mm	11 - 17mm	Nickel Plated	15	ea
MG32	32mm	15 - 21mm	Nickel Plated	5	ea
MG40	40mm	19 - 28mm	Nickel Plated	2	ea
MG50	50mm	26 - 35mm	Nickel Plated	2	ea
MG63	63mm	32 - 42mm	Nickel Plated	2	ea

NOTE: Glands sold in box lots only

Nicote Cable Glands

When safety matters, there's only one choice. Nicote cable glands, complete with highly durable nickel plating. All Nicote glands use high quality neoprene seals IP66/68.

Nicote Cable Glands



ESC Code	Description	Box Qty	UOM
GN204*	Nicote M20 x 1.5 SWA GP Cable Gland	20	ea
GN206*	Nicote M20 x 1.5 SWA GP Cable Gland	20	ea
GN254*	Nicote M25 x 1.5 SWA GP Cable Gland	16	ea
GN256*	Nicote M25 x 1.5 SWA GP Cable Gland	8	ea

*Indent items only

HEX - Copper Crimp Lugs & Links

Suitable for copper conductor cables, long barrel type, terminals have a radiused entry. Manufactured from a seamless copper tube. Electro tinned to BS standards. Each lug clearly marked with cable and hole size for easy identification.

Copper Crimp Lugs (Cable 1.5mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL1.54	1.5mm ²	4mm	10	pkt
CL1.55	1.5mm ²	5mm	10	pkt
CL1.56	1.5mm ²	6mm	10	pkt

Copper Crimp Lugs (Cable 2.5mm²)



ESC Code	Cable Size	Hole Size	Pty Qty	UOM
CL2.54	2.5mm ²	4mm	10	pkt
CL2.55	2.5mm ²	5mm	10	pkt
CL2.56	2.5mm ²	6mm	10	pkt
CL2.58	2.5mm ²	8mm	10	pkt

Copper Crimp Lugs (Cable 4mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL45	4mm ²	5mm	10	pkt
CL46	4mm ²	6mm	10	pkt
CL48	4mm ²	8mm	10	pkt

Copper Crimp Lugs (Cable 6mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL65	6mm ²	5mm	10	pkt
CL66	6mm ²	6mm	10	pkt
CL68	6mm ²	8mm	10	pkt
CL610	6mm ²	10mm	10	pkt

Copper Crimp Lugs (Cable 10mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL105	10mm ²	5mm	10	pkt
CL106	10mm ²	6mm	10	pkt
CL108	10mm ²	8mm	10	pkt
CL1010	10mm ²	10mm	10	pkt

Copper Crimp Lugs (Cable 16mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL166	16mm ²	6mm	10	pkt
CL168	16mm ²	8mm	10	pkt
CL1610	16mm ²	10mm	10	pkt
CL1612	16mm ²	12mm	10	pkt

Copper Crimp Lugs (Cable 20mm²)



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL206	20mm ²	6mm	10	pkt

Copper Crimp Lugs (Cable 25mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL256	25mm ²	6mm	10	pkt
CL258	25mm ²	8mm	10	pkt
CL2510	25mm ²	10mm	10	pkt
CL2512	25mm ²	12mm	10	pkt

Copper Crimp Lugs (Cable 35mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL356	35mm ²	6mm	10	pkt
CL358	35mm ²	8mm	10	pkt
CL3510	35mm ²	10mm	10	pkt
CL3512	35mm ²	12mm	10	pkt

Copper Crimp Lugs (Cable 50mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL506	50mm ²	6mm	10	pkt
CL508	50mm ²	8mm	10	pkt
CL5010	50mm ²	10mm	10	pkt
CL5012	50mm ²	12mm	10	pkt

Copper Crimp Lugs (Cable 70mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL706	70mm ²	6mm	10	pkt
CL708	70mm ²	8mm	10	pkt
CL7010	70mm ²	10mm	10	pkt
CL7012	70mm ²	12mm	10	pkt

Copper Crimp Lugs (Cable 95mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL956	95mm ²	6mm	1	ea
CL958	95mm ²	8mm	1	ea
CL9510	95mm ²	10mm	1	ea
CL9512	95mm ²	12mm	1	ea
CL9516	95mm ²	16mm	1	ea

Copper Crimp Lugs (Cable 120mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL12010	120mm ²	10mm	1	ea
CL12012	120mm ²	12mm	1	ea
CL12016	120mm ²	16mm	1	ea

Copper Crimp Lugs (Cable 150mm²)

ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL15010	150mm ²	10mm	1	ea
CL15012	150mm ²	12mm	1	ea

Cable Accessories

Copper Crimp Lugs



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL18510	185mm ²	10mm	1	ea
CL18512	185mm ²	12mm	1	ea
CL18516	185mm ²	16mm	1	ea

Other sizes available on request.

Copper Bell-Mouth Crimp Lugs

Similar to standard copper crimp lugs but with bell-mouth for easy entry.



ESC Code	Cable Size	Stud Size	Pkt Qty	UOM
CL66BM	6mm ²	6mm	10	pkt
CL106BM	10mm ²	6mm	10	pkt
CL108BM	10mm ²	8mm	10	pkt
CL166BM	16mm ²	6mm	10	pkt
CL168BM	16mm ²	8mm	10	pkt
CL1610BM	16mm ²	12mm	10	pkt
CL258BM	25mm ²	8mm	10	pkt
CL2510BM	25mm ²	10mm	10	pkt
CL358BM	35mm ²	8mm	10	pkt
CL5010BM	50mm ²	10mm	10	pkt
CL7010BM	70mm ²	10mm	10	pkt
CL9510BM	95mm ²	10mm	1	ea
CL12012BM	120mm ²	12mm	1	ea
CL15012BM	150mm ²	12mm	1	ea
CL18516BM	185mm ²	16mm	1	ea
CL240BBM	240mm ²	Blank	1	ea
CL300BBM	300mm ²	Blank	1	ea
CL400BBM	400mm ²	Blank	1	ea

Copper Crimp Lugs - Blank



ESC Code	Cable Size	Hole Size	Pkt Qty	UOM
CL240B	240mm ²	Blank	1	ea
CL300B	300mm ²	Blank	1	ea
CL400B	400mm ²	Blank	1	ea
CL500B	500mm ²	Blank	1	ea
CL630B	630mm ²	Blank	1	ea

Copper Crimp Sleeves



ESC Code	Cable Size	Pkt Qty	UOM
CS1.5	1.5mm ²	10	pkt
CS2.5	2.5mm ²	10	pkt
CS4	4mm ²	10	pkt
CS6	6mm ²	10	pkt
CS10	10mm ²	10	pkt
CS16	16mm ²	10	pkt
CS25	25mm ²	10	pkt
CS35	35mm ²	10	pkt
CS50	50mm ²	10	pkt
CS70	70mm ²	1	ea
CS95	95mm ²	1	ea
CS120	120mm ²	1	ea
CS150	150mm ²	1	ea
CS185	185mm ²	1	ea
CS240	240mm ²	1	ea
CS300	300mm ²	1	ea
CS400	400mm ²	1	ea
CS500	500mm ²	1	ea
CS630	630mm ²	1	ea

Above represents common sizes only. Other sizes available on request.

Pre-Insulated Terminals

Double grip sleeve used on all push-on style terminals for extra crimping strength. PVC temp rating: 75°C. Manufactured under ISO9002 to UL, CSA and RU standards, using fully annealed, tin plated copper, JIS-71100, 99.9% M.

Ring Terminals



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
RT153S	1.5mm	3mm	Red	Stud	Small	25	pkt
RT153L	1.5mm	3mm	Red	Stud	Large	100	pkt
RT154S	1.5mm	4mm	Red	Stud	Small	25	pkt
RT154L	1.5mm	4mm	Red	Stud	Large	100	pkt
RT155S	1.5mm	5mm	Red	Stud	Small	25	pkt
RT155L	1.5mm	5mm	Red	Stud	Large	100	pkt
RT156S	1.5mm	6mm	Red	Stud	Small	25	pkt
RT156L	1.5mm	6mm	Red	Stud	Large	100	pkt
RT158S	1.5mm	8mm	Red	Stud	Small	25	pkt
RT158L	1.5mm	8mm	Red	Stud	Large	100	pkt
RT1510S	1.5mm	10mm	Red	Stud	Small	25	pkt
RT1510L	1.5mm	10mm	Red	Stud	Large	100	pkt
RT253S	2.5mm	3mm	Blue	Stud	Small	25	pkt
RT253L	2.5mm	3mm	Blue	Stud	Large	100	pkt
RT254S	2.5mm	4mm	Blue	Stud	Small	25	pkt
RT254L	2.5mm	4mm	Blue	Stud	Large	100	pkt
RT255S	2.5mm	5mm	Blue	Stud	Small	25	pkt
RT255L	2.5mm	5mm	Blue	Stud	Large	100	pkt
RT256S	2.5mm	6mm	Blue	Stud	Small	20	pkt
RT256L	2.5mm	6mm	Blue	Stud	Large	100	pkt
RT258S	2.5mm	8mm	Blue	Stud	Small	15	pkt
RT258L	2.5mm	8mm	Blue	Stud	Large	100	pkt
RT2510S	2.5mm	10mm	Blue	Stud	Small	10	pkt
RT2510L	2.5mm	10mm	Blue	Stud	Large	100	pkt
RT63S	6mm	3mm	Yellow	Stud	Small	15	pkt
RT63L	6mm	3mm	Yellow	Stud	Large	50	pkt
RT64S	6mm	4mm	Yellow	Stud	Small	15	pkt
RT64L	6mm	4mm	Yellow	Stud	Large	50	pkt
RT65S	6mm	5mm	Yellow	Stud	Small	15	pkt
RT65L	6mm	5mm	Yellow	Stud	Large	50	pkt
RT66S	6mm	6mm	Yellow	Stud	Small	10	pkt
RT66L	6mm	6mm	Yellow	Stud	Large	50	pkt
RT68S	6mm	8mm	Yellow	Stud	Small	10	pkt
RT68L	6mm	8mm	Yellow	Stud	Large	50	pkt
RT610S	6mm	10mm	Yellow	Stud	Small	10	pkt
RT610L	6mm	10mm	Yellow	Stud	Large	50	pkt

Pre-Insulated Terminals

Double grip sleeve used on all push-on style terminals for extra crimping strength. PVC temp rating: 75°C. Manufactured under ISO9002 to UL, CSA and RU standards, using fully annealed, tin plated copper, JIS-71100, 99.9% M.

Fork Terminals



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
FT153S	1.5mm	3mm	Red	Stud	Small	25	pkt
FT153L	1.5mm	3mm	Red	Stud	Large	100	pkt
FT154S	1.5mm	4mm	Red	Stud	Small	25	pkt
FT154L	1.5mm	4mm	Red	Stud	Large	100	pkt
FT155S	1.5mm	5mm	Red	Stud	Small	25	pkt
FT155L	1.5mm	5mm	Red	Stud	Large	100	pkt
FT156S	1.5mm	6mm	Red	Stud	Small	25	pkt
FT156L	1.5mm	6mm	Red	Stud	Large	100	pkt
FT253S	2.5mm	3mm	Blue	Stud	Small	25	pkt
FT253L	2.5mm	3mm	Blue	Stud	Large	100	pkt
FT254S	2.5mm	4mm	Blue	Stud	Small	25	pkt
FT254L	2.5mm	4mm	Blue	Stud	Large	100	pkt
FT255S	2.5mm	5mm	Blue	Stud	Small	25	pkt
FT255L	2.5mm	5mm	Blue	Stud	Large	100	pkt
FT256S	2.5mm	6mm	Blue	Stud	Small	25	pkt
FT256L	2.5mm	6mm	Blue	Stud	Large	100	pkt
FT63S	6.0mm	3mm	Yellow	Stud	Small	15	pkt
FT63L	6.0mm	3mm	Yellow	Stud	Large	50	pkt
FT64S	6.0mm	4mm	Yellow	Stud	Small	15	pkt
FT64L	6.0mm	4mm	Yellow	Stud	Large	50	pkt
FT65S	6.0mm	5mm	Yellow	Stud	Small	15	pkt
FT65L	6.0mm	5mm	Yellow	Stud	Large	50	pkt
FT66S	6.0mm	6mm	Yellow	Stud	Small	10	pkt
FT66L	6.0mm	6mm	Yellow	Stud	Large	50	pkt

Quick Connects - Female



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
QC15S	1.5mm	6.4mm	Red	Slot	Small	15	pkt
QC15L	1.5mm	6.4mm	Red	Slot	Large	100	pkt
QC1548S	1.5mm	4.8mm	Red	Slot	Small	20	pkt
QC1548L	1.5mm	4.8mm	Red	Slot	Large	100	pkt
QC1528S	1.5mm	2.8mm	Red	Slot	Small	20	pkt
QC1528L	1.5mm	2.8mm	Red	Slot	Large	100	pkt
QC25S	2.5mm	6.4mm	Blue	Slot	Small	15	pkt
QC25L	2.5mm	6.4mm	Blue	Slot	Large	100	pkt
QC2548S	2.5mm	4.8mm	Blue	Slot	Small	15	pkt
QC2548L	2.5mm	4.8mm	Blue	Slot	Large	100	pkt
QC6S	6.0mm	6.4mm	Yellow	Slot	Small	10	pkt
QC6L	6.0mm	6.4mm	Yellow	Slot	Large	50	pkt

Cable Accessories

Fully Insulated Quick Connects - Female



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
FIQC15S	1.5mm	6.4mm	Red	Slot	Small	15	pkt
FIQC15L	1.5mm	6.4mm	Red	Slot	Large	50	pkt
FIQC1548S	1.5mm	4.8mm	Red	Slot	Small	15	pkt
FIQC1548L	1.5mm	4.8mm	Red	Slot	Large	50	pkt
FIQC151000	1.5mm	6.4mm	Red	Slot	Bulk	1000	pkt
FIQC25S	2.5mm	6.4mm	Blue	Slot	Small	15	pkt
FIQC25L	2.5mm	6.4mm	Blue	Slot	Large	50	pkt
FIQC2548S	2.5mm	4.8mm	Blue	Slot	Small	15	pkt
FIQC2548L	2.5mm	4.8mm	Blue	Slot	Large	50	pkt
FIQC251000	2.5mm	6.4mm	Blue	Slot	Bulk	1000	pkt
FIQC6S	6.0mm	6.4mm	Yellow	Slot	Small	10	pkt
FIQC6L	6.0mm	6.4mm	Yellow	Slot	Large	50	pkt

Male Tabs



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
MT15S	1.5mm	6.4mm	Red	Tab	Small	15	pkt
MT15L	1.5mm	6.4mm	Red	Tab	Large	100	pkt
MT151000	1.5mm	6.4mm	Red	Tab	Bulk	1000	pkt
MT25S	2.5mm	6.4mm	Blue	Tab	Small	15	pkt
MT25L	2.5mm	6.4mm	Blue	Tab	Large	100	pkt
MT251000	2.5mm	6.4mm	Blue	Tab	Bulk	1000	pkt
MT6S	6.0mm	6.4mm	Yellow	Tab	Small	10	pkt
MT6L	6.0mm	6.4mm	Yellow	Tab	Large	50	pkt
MT61000	6.0mm	6.4mm	Yellow	Tab	Bulk	1000	pkt

Piggy Back Quick Connects



ESC Code	Max Cable Size	Hole Blade Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
PB15S	1.5mm	6.4mm	Red	Slot / Tab	Small	10	pkt
PB15L	1.5mm	6.4mm	Red	Slot / Tab	Large	100	pkt
PB25S	2.5mm	6.4mm	Blue	Slot / Tab	Small	10	pkt
PB25L	2.5mm	6.4mm	Blue	Slot / Tab	Large	100	pkt

Pin Connectors



ESC Code	Max Cable Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
PC15S	1.5mm	Red	Pin	Small	25	pkt
PC15L	1.5mm	Red	Pin	Large	100	pkt
PC25S	2.5mm	Blue	Pin	Small	20	pkt
PC25L	2.5mm	Blue	Pin	Large	100	pkt
PC6S	6.0mm	Yellow	Pin	Small	15	pkt
PC6L	6.0mm	Yellow	Pin	Large	50	pkt

Lip Blade Terminals



ESC Code	Max Cable Size	Colour	Fixing Type	Pack Size	Pack Qty	UOM
LB15S	1.5mm	Red	Blade	Small	15	pkt
LB15L	1.5mm	Red	Blade	Large	100	pkt
LB25S	2.5mm	Blue	Blade	Small	15	pkt
LB25L	2.5mm	Blue	Blade	Large	100	pkt

Bootlace End Terminals



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
BL025S	0.25mm	Violet	Small	50	pkt
BL025L	0.25mm	Violet	Large	100	pkt
BL051000	0.5mm	Violet	Bulk	1000	pkt
BL05S	0.5mm	White	Small	50	pkt
BL05L	0.5mm	White	Large	100	pkt
BL051000	0.5mm	White	Bulk	1000	pkt
BL075S	0.75mm	Blue	Small	50	pkt
BL075L	0.75mm	Blue	Large	100	pkt
BL0751000	0.75mm	Blue	Bulk	1000	pkt
BL10S	1.0mm	Red	Small	50	pkt
BL10L	1.0mm	Red	Large	100	pkt
BL101000	1.0mm	Red	Bulk	1000	pkt
BL15S	1.5mm	Black	Small	50	pkt
BL15L	1.5mm	Black	Large	100	pkt
BL151000	1.5mm	Black	Bulk	1000	pkt
BL25S	2.5mm	Grey	Small	40	pkt
BL25L	2.5mm	Grey	Large	100	pkt
BL251000	2.5mm	Grey	Bulk	1000	pkt
BL4S	4.0mm	Orange	Small	30	pkt
BL4L	4.0mm	Orange	Large	100	pkt
BL41000	4.0mm	Orange	Bulk	1000	pkt
BL6S	6.0mm	Green	Small	20	pkt
BL6L	6.0mm	Green	Large	100	pkt
BL61000	6.0mm	Green	Bulk	1000	pkt
BL100S	10.0mm	Brown	Small	16	pkt
BL100L	10.0mm	Brown	Large	100	pkt
BL1001000	10.0mm	Brown	Bulk	1000	pkt

Twin Bootlace End Terminals



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
BL05DS	0.5mm	White	Small	38	pkt
BL05DL	0.5mm	White	Large	100	pkt
BL05D1000	0.5mm	White	Bulk	1000	pkt
BL075DS	0.75mm	Blue	Small	38	pkt
BL075DL	0.75mm	Blue	Large	100	pkt
BL075D1000	0.75mm	Blue	Bulk	1000	pkt
BL10DS	1.0mm	Red	Small	38	pkt
BL10DL	1.0mm	Red	Large	100	pkt
BL10D1000	1.0mm	Red	Bulk	1000	pkt
BL15DS	1.5mm	Black	Small	38	pkt
BL15DL	1.5mm	Black	Large	100	pkt
BL15D1000	1.5mm	Black	Bulk	1000	pkt
BL25D	2.5mm	Grey	Small	26	pkt
BL25DL	2.5mm	Grey	Large	100	pkt
BL25D1000	2.5mm	Grey	Bulk	1000	pkt

Cable Accessories

End Connectors



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
EC15S	1.5mm	Clear	Small	25	pkt
EC15L	1.5mm	Clear	Large	100	pkt
EC25S	2.5mm	Clear	Small	20	pkt
EC25L	2.5mm	Clear	Large	100	pkt
EC251000	2.5mm	Clear	Bulk	1000	pkt
EC6S	6.0mm	Clear	Small	10	pkt
EC6L	6.0mm	Clear	Large	50	pkt

In-line Splice



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
ILS15S	1.5mm	Red	Small	20	pkt
ILS15L	1.5mm	Red	Large	100	pkt
ILS25S	2.5mm	Blue	Small	20	pkt
ILS25L	2.5mm	Blue	Large	100	pkt
ILS6S	6.0mm	Yellow	Small	15	pkt
ILS6L	6.0mm	Yellow	Large	50	pkt

Heat Shrink In-line Splice



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
HSILS15S	1.5mm	Red	Small	3	pkt
HSILS1520	1.5mm	Red	Medium	20	pkt
HSILS15L	1.5mm	Red	Large	100	pkt
HSILS25S	2.5mm	Blue	Small	3	pkt
HSILS2520	2.5mm	Blue	Medium	20	pkt
HSILS25L	2.5mm	Blue	Large	100	pkt
HSILS6S	6.0mm	Yellow	Small	3	pkt
HSILS620	6.0mm	Yellow	Medium	20	pkt
HSILS6L	6.0mm	Yellow	Large	100	pkt

Bullet Connectors - Female



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
FBC15S	1.5mm	Red	Small	15	pkt
FBC15L	1.5mm	Red	Large	100	pkt
FBC25S	2.5mm	Blue	Small	15	pkt
FBC25L	2.5mm	Blue	Large	50	pkt

Bullet Connectors - Male



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
MBC15S	1.5mm	Red	Small	15	pkt
MBC15L	1.5mm	Red	Large	100	pkt
MBC25S	2.5mm	Blue	Small	15	pkt
MBC25L	2.5mm	Blue	Large	50	pkt

Wire Nuts



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
WN15S	1.5mm	Grey	Small	25	pkt
WN15L	1.5mm	Grey	Large	50	pkt
WN25S	2.5mm	Blue	Small	25	pkt
WN25L	2.5mm	Blue	Large	50	pkt
WN6S	6.0mm	Orange	Small	15	pkt
WN6L	6.0mm	Orange	Large	25	pkt

Snap Connectors



ESC Code	Max Cable Size	Colour	Pack Size	Pack Qty	UOM
SC15S	1.5mm	Red	Small	15	pkt
SC15L	1.5mm	Red	Large	50	pkt
SC25S	2.5mm	Blue	Small	15	pkt
SC25L	2.5mm	Blue	Large	50	pkt
SC6S	6.0mm	Yellow	Small	10	pkt
SC6L	6.0mm	Yellow	Large	25	pkt

Brass Terminals

Brass easy-entry type terminals - Supplied in convenient, one price / different quantity small packs & bulk quantity large packs. Double grip sleeve used on all push-on style terminals for extra crimping strength.

Brass Quick Connect - Screw



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCSS	6.4mm	Slot	Brass	Small	5	pkt
QCSL	6.4mm	Slot	Brass	Large	20	pkt

Brass Quick Connect - Female



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCB15S	6.4mm	Slot	Brass	Small	25	pkt
QCB15L	6.4mm	Slot	Brass	Large	100	pkt
QCB1548S	4.8mm	Slot	Brass	Small	30	pkt
QCB1548L	4.8mm	Slot	Brass	Large	50	pkt
QCB1528S	2.8mm	Slot	Brass	Small	30	pkt
QCB1528L	2.8mm	Slot	Brass	Large	50	pkt

Nickel Coated Brass Quick Connect - Flag



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCFS	6.4mm	Slot	Nickel	Small	20	pkt
QCFL	6.4mm	Slot	Nickel	Large	50	pkt

Brass Quick Connect - Adaptor



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCAS	6.4mm	Slot / Tab	Brass	Small	15	pkt
QCAL	6.4mm	Slot / Tab	Brass	Large	30	pkt

Cable Accessories

Quick Connect - PVC Covers



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCCS	6.4mm	Cover	Clear	Small	25	pkt
QCCL	6.4mm	Cover	Clear	Large	60	pkt

Brass Male Tabs



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
MTB15S	6.4mm	Tab	Brass	Small	25	pkt
MTB15L	6.4mm	Tab	Brass	Large	60	pkt

Brass Tabs



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
TAB45S	6.4mm	45° Tab	Brass	Small	20	pkt
TAB45L	6.4mm	45° Tab	Brass	Large	30	pkt
TAB90S	6.4mm	90° Tab	Brass	Small	20	pkt
TAB90L	6.4mm	90° Tab	Brass	Large	30	pkt

Nickel Silver Quick Connects



ESC Code	Hole Blade Size	Fixing Type	Colour	Pack Size	Pack Qty	UOM
QCBNSS	6.4mm	Slot	Nickel	Small	16	pkt
QCBNSL	6.4mm	Slot	Nickel	Large	100	pkt
QCBNS1000	6.4mm	Slot	Nickel	Bulk	1000	pkt

Telcon Connectors

Telcon Universal Connectors.



ESC Code	Description	Pack Size	Pack Qty	UOM
MRC2S	2 Way Universal Connector	Small	10	pkt
MRC2L	2 Way Universal Connector	Large	100	pkt
MRC3S	3 Way Universal Connector	Small	7	pkt
MRC3L	3 Way Universal Connector	Large	100	pkt

Elmark Rubber Plugs

Rubber Plug Male



ESC Code	Description	Pack Qty	UOM
ELRP200BK	ELMARK Rubber Plug Male 3 Pin 10A Black	25	box

Rubber Plug Female



ESC Code	Description	Pack Qty	UOM
ELRP220BK	ELMARK Rubber Cord Connector Female 3 Pin 10A Black	25	box

Elmark Float Switch

Fluid level controller complete with counter weight and 10m neoprene cable.



ESC Code	Rated Voltage	Max Current	Frequency	Max Temp	IP Rating	UOM
ELFS10	125V / 250V	16A	50 - 60 Hz	50°C	IP68	ea

Galv Steel Flush Boxes



ESC Code	Description	Length	Width	Depth	Qty Per Box	UOM
MFBD	Double Metal Flush Box Galvanised	93mm	98mm	48mm	10	ea
MFBS	Single Metal Flush Box Galvanised	93mm	50mm	48mm	10	ea
MFP	Metal Flush Plate Galvanised	119mm	86mm	15mm	20	ea

Elmark Flush Boxes



ESC Code	Description	Length	Width	Depth	Qty Per Box	UOM
FBS	Flush Box Standard Single	93mm	65mm	48mm	200	ea
FBN	Flush Box Standard Single	97mm	60mm	45mm	200	ea
FBSM	Flush Box Masonry Single	96mm	56mm	45mm	10	ea

Elmark Junction Boxes



ESC Code	Description	Qty Per Box	UOM
JBS	Small Junction Box C/W Connectors	10	ea
JBL	Large Junction Box C/W Connectors	10	ea

Surface Plate



ESC Code	Description	Qty Per Box	UOM
CP1W	PVC Conversion Plate White	20	ea

Box Guard Fire Pad



ESC Code	Description	Qty Per Box	UOM
BGS	Box Guard Fire Pad 10 Pack	10	ea

Cable Accessories

Surface Sockets



ESC Code	Description	Qty Per Box	UOM
SS1	Surface Socket Single 250V, 10amp	10	ea

Batten Holder



ESC Code	Description	Qty Per Box	UOM
BH	Batten Holder	10	ea

Mounting Block



ESC Code	Description	Qty Per Box	UOM
MBS34	Mounting Block Single 34mm	10	ea

Trunking Open Slots



ESC Code	Description	UOM
ELTR10050G	Trunking Open Slot 100x50 Grey 2m	ea
ELTR10075G	Trunking Open Slot 100x75 Grey 2m	ea
ELTR2550G	Trunking Open Slot 25x50 Grey 2m	ea
ELTR2575G	Trunking Open Slot 25x75 Grey 2m	ea
ELTR5050G	Trunking Open Slot 50x50 Grey 2m	ea
ELTR5075G	Trunking Open Slot 50x75 Grey 2m	ea
ELTR7550G	Trunking Open Slot 75x50 Grey 2m	ea
ELTR7575G	Trunking Open Slot 75x75 Grey 2m	ea

Danger Tapes



ESC Code	Description	UOM
ELDECB100	Elmark Danger Electrical Cable Below Tape 100m	roll
ELDECB300	Elmark Danger Electrical Cable Below Tape 300m	roll
ELWCCB100	Elmark Warning Tape Communication Cable 100m	roll
ELWCCB300	Elmark Warning Tape Communication Cable 300m	roll

Self Amalgamating Tapes

All purpose jointing & sealing tape with thick rubber adhesive. Bonds to most surfaces.



ESC Code	Description	Colour	Length	Width	Thickness	Temp	Elongation at Break	B/D Voltage	UOM
KSA25	Self Amalgamating Tape	Black	9m	25mm	0.50mm	-40°C +90°C	500%	23.0kv	roll
KSA50	Self Amalgamating Tape	Black	9m	50mm	0.50mm	-40°C +90°C	500%	23.0kv	roll

PVC Tapes

Electrical installation and repair work calls for the right adhesive tape. Our PVC insulating tapes are ideal for cable insulation and marking.



ESC Code	Description	Colour	Length	Width	Thickness	Temp	B/D Voltage	Rolls Per Sleeve	UOM
T804BK	804 PVC Electrical Tape	Black	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804BL	804 PVC Electrical Tape	Blue	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804G	804 PVC Electrical Tape	Green	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804GY	804 PVC Electrical Tape	Green Yellow	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804R	804 PVC Electrical Tape	Red	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804RP	804 PVC Electrical Tape	Rainbow	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	pkt
T804W	804 PVC Electrical Tape	White	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll
T804Y	804 PVC Electrical Tape	Yellow	20m	18mm	0.15mm	-40° to +80° C	12.5kv	10	roll

Duct Tapes



ESC Code	Description	Colour	Length	Width	Thickness	UOM
KDT48W	PVC Duct Waterproof Tape 48mm x 30m	White	30m	48mm	0.15mm	roll
KDTC48BK	Cloth Duct Waterproof Tape 48mm x 25m	Black	25m	48mm	80mm	roll
TDT4050BK	4050 Duct Tape	Black	30m	48mm	0.15mm	roll
TDT4050S	4050 Duct Tape	Silver	30m	48mm	0.15mm	roll

WHY ELECTRICAL SUPPLY CORP?

Electrical Supply Corp (ESC) are market leaders in a wide range of products for tradesmen. ESC's market focus is primarily based around servicing and supporting electrical and plumbing wholesalers that extends support through selected OEMs, auto-electrical wholesalers and specific industrial companies.

Located in Te Rapa, Hamilton, ESC is in a central location, which makes it possible to offer nationwide overnight* deliveries.

The administration and main distribution centre, are incorporated in a purpose built 7,600 square meters warehouse that provides room to handle its ever expanding portfolio.

Electrical Supply Corp employs over 40 full time and part time staff, comprising of business development managers, product technical specialists and wholesale representatives located regionally throughout New Zealand to best service their customers network.

Disclaimer of liability: Whilst we endeavor to keep the information up to date and correct, ESC makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability or availability with respect to the catalogue or the information, products, services or related graphics contained in the catalogue for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

**Some limitations apply for overnight delivery*





4-8 Mainstreet Place
Te Rapa, Hamilton, 3200
www.electrical.co.nz

sales@electrical.co.nz
+64 7 849 9119
0800 350 000

2021 ©