



CABLE TIES



Cable Ties Contents



Elmark Natural Nylon
Cable Ties



Elmark Black Nylon
Cable Ties



Elmark Nylon Colour
Cable Ties



Elmark Releasable
Cable Ties



Elmark Screw Mounting
Cable Ties



Elmark Identification
Cable Ties



Elmark Push Mounting
Cable Ties




Elmark Bubble Cable Ties



Elmark Ladder Ties



Elmark Contractor Pack



Elmark Cable Tie Mounts



Elmark Masonry Bases



Elmark Cable Tie Guns



Elmark Stainless Steel
Cable Ties



BAND-IT Stainless Steel
Cable Ties




TY-RAP Natural
Cable Ties



TY-RAP Black U/V Weather
Resistant Cable Ties



TY-RAP Detectable
Cable Ties



TY-RAP Screw Mounting
Cable Ties



TY-RAP Identification
Cable Ties



TY-RAP Push Mounting
Cable Ties

ELMARK Nylon Cable Ties

Quality, heavy duty, economical, one piece nylon cable ties.

Material: nylon 66 Operating temp: -40°C to +85°C Flammability rating: UL 94V-2, UL E97527(S).

Natural - Non UV (Width 2.5mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1002	100mm	2.5mm	25mm	8kg	Natural	100	pkt
EL10021000	100mm	2.5mm	25mm	8kg	Natural	1000	pkt
EL1202	120mm	2.5mm	30mm	8kg	Natural	100	pkt
EL1602	165mm	2.5mm	44mm	8kg	Natural	100	pkt
EL16021000	165mm	2.5mm	44mm	8kg	Natural	1000	pkt
EL2002	200mm	2.5mm	55mm	8kg	Natural	100	pkt
EL20021000	200mm	2.5mm	55mm	8kg	Natural	1000	pkt

Natural - Non UV (Width 3.2mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1403	142mm	3.2mm	35mm	18kg	Natural	100	pkt
EL14031000	142mm	3.2mm	35mm	18kg	Natural	1000	pkt
EL2003	200mm	3.2mm	55mm	18kg	Natural	100	pkt
EL20031000	200mm	3.2mm	55mm	18kg	Natural	1000	pkt

Natural - Non UV (Width 3.6mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL3003	292mm	3.6mm	85mm	18kg	Natural	100	pkt
EL30031000	292mm	3.6mm	85mm	18kg	Natural	1000	pkt

Natural - Non UV (Width 4.8mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1204	120mm	4.8mm	30mm	22kg	Natural	100	pkt
EL1604	160mm	4.8mm	42mm	22kg	Natural	100	pkt
EL16041000	160mm	4.8mm	42mm	22kg	Natural	1000	pkt
EL2004	203mm	4.6mm	55mm	22kg	Natural	100	pkt
EL20041000	203mm	4.6mm	55mm	22kg	Natural	1000	pkt
EL2504	250mm	4.8mm	74mm	22kg	Natural	100	pkt
EL25041000	250mm	4.8mm	74mm	22kg	Natural	1000	pkt
EL3004	280mm	4.8mm	81mm	22kg	Natural	100	pkt
EL30041000	280mm	4.8mm	81mm	22kg	Natural	1000	pkt
EL3704	368mm	4.8mm	102mm	22kg	Natural	50	pkt
EL3704100	368mm	4.8mm	102mm	22kg	Natural	100	pkt
EL4304	432mm	4.8mm	125mm	22kg	Natural	50	pkt
EL4304100	432mm	4.8mm	125mm	22kg	Natural	100	pkt

More sizes on the next page

Natural - Non UV (Width 7.6mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL2008	203mm	7.6mm	55mm	55kg	Natural	50	pkt
EL2008100	203mm	7.6mm	55mm	55kg	Natural	100	pkt
EL3008	300mm	7.6mm	88mm	55kg	Natural	50	pkt
EL3008100	300mm	7.6mm	88mm	55kg	Natural	100	pkt

Natural - Non UV (Width 8.0mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL4508	450mm	8.0mm	133mm	55kg	Natural	50	pkt
EL4508100	450mm	8.0mm	133mm	55kg	Natural	100	pkt

Natural - Non UV (Width 9.0mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL11709	1168mm	9.0mm	360mm	80kg	Natural	25	pkt
EL11709100	1168mm	9.0mm	360mm	80kg	Natural	100	pkt

Natural - Non UV (Width 12.7mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL28013	280mm	12.7mm	78mm	114kg	Natural	25	pkt
EL28013100	280mm	12.7mm	78mm	114kg	Natural	100	pkt
EL55013	550mm	12.7mm	143mm	114kg	Natural	25	pkt

ELMARK Nylon Cable Ties - UV Black

Quality, heavy duty, economical, one piece nylon cable ties.

Material: nylon 66 Operating temp: -40°C to +85°C Flammability rating: UL 94V-2, UL E97527(S), Nylon 66.

Black - Weather & UV Resistant (Width 2.5mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1002B	100mm	2.5mm	25mm	8kg	Black	100	pkt
EL1002B1000	100mm	2.5mm	25mm	8kg	Black	1000	pkt
EL1602B	165mm	2.5mm	44mm	8kg	Black	100	pkt
EL1602B1000	165mm	2.5mm	44mm	8kg	Black	1000	pkt
EL2002B	200mm	2.5mm	55mm	8kg	Black	100	pkt
EL2002B1000	200mm	2.5mm	55mm	8kg	Black	1000	pkt

Black - Weather & UV Resistant (Width 3.2mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1403B	142mm	3.2mm	35mm	18kg	Black	100	pkt
EL1403B1000	142mm	3.2mm	35mm	18kg	Black	1000	pkt
EL2003B	203mm	3.2mm	55mm	18kg	Black	100	pkt
EL2003B1000	203mm	3.2mm	55mm	18kg	Black	1000	pkt

Black - Weather & UV Resistant (Width 3.6mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL3003B	292mm	3.6mm	85mm	18kg	Black	100	pkt
EL3003B1000	292mm	3.6mm	85mm	18kg	Black	1000	pkt

Black - Weather & UV Resistant (Width 4.8mm)



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1204B	120mm	4.8mm	30mm	22kg	Black	100	pkt
EL1204B1000	120mm	4.8mm	30mm	22kg	Black	1000	pkt
EL1604B	160mm	4.8mm	42mm	22kg	Black	100	pkt
EL1604B1000	160mm	4.8mm	42mm	22kg	Black	1000	pkt
EL2004B	203mm	4.6mm	55mm	22kg	Black	100	pkt
EL2004B1000	203mm	4.6mm	55mm	22kg	Black	1000	pkt
EL2504B	250mm	4.8mm	74mm	22kg	Black	100	pkt
EL2504B1000	250mm	4.8mm	74mm	22kg	Black	1000	pkt
EL3004B	280mm	4.8mm	81mm	22kg	Black	100	pkt
EL3004B1000	280mm	4.8mm	81mm	22kg	Black	1000	pkt
EL3704B	368mm	4.8mm	102mm	22kg	Black	50	pkt
EL3704B100	368mm	4.8mm	102mm	22kg	Black	100	pkt
EL3704B1000	368mm	4.8mm	102mm	22kg	Black	1000	pkt
EL4304B	432mm	4.8mm	125mm	22kg	Black	50	pkt
EL4304B100	432mm	4.8mm	125mm	22kg	Black	100	pkt

Black - Weather & UV Resistant (Width 7.6mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL2008B	203mm	7.6mm	55mm	55kg	Black	50	pkt
EL2008B100	203mm	7.6mm	55mm	55kg	Black	100	pkt
EL3008B	300mm	7.6mm	88mm	55kg	Black	50	pkt
EL3008B100	300mm	7.6mm	88mm	55kg	Black	100	pkt
EL3808B	380mm	7.6mm	110mm	55kg	Black	50	pkt
EL3808B100	380mm	7.6mm	110mm	55kg	Black	100	pkt
EL3808B500	380mm	7.6mm	110mm	55kg	Black	500	pkt

Black - Weather & UV Resistant (Width 8.0mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL4508B	450mm	8.0mm	133mm	55kg	Black	50	pkt
EL4508B100	450mm	8.0mm	133mm	55kg	Black	100	pkt
EL5508B	550mm	8.0mm	166mm	55kg	Black	50	pkt
EL5508B100	550mm	8.0mm	166mm	55kg	Black	100	pkt

Black - Weather & UV Resistant (Width 9.0mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL7609B	762mm	9.0mm	236mm	80kg	Black	50	pkt
EL7609B100	762mm	9.0mm	236mm	80kg	Black	100	pkt
EL11709B	1168mm	9.0mm	360mm	80kg	Black	25	pkt
EL11709B100	1168mm	9.0mm	360mm	80kg	Black	100	pkt

Black - Weather & UV Resistant (Width 12.7mm)


ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL28013B	280mm	12.7mm	80mm	114kg	Black	25	pkt
EL28013B100	280mm	12.7mm	80mm	114kg	Black	100	pkt
EL55013B	550mm	12.7mm	166mm	114kg	Black	25	pkt
EL55013B100	550mm	12.7mm	166mm	114kg	Black	100	pkt
EL103013B	1030mm	12.7mm	317mm	114kg	Black	25	pkt
EL103013B100	1030mm	12.7mm	317mm	114kg	Black	100	pkt

ELMARK Nylon Colour Cable Ties

Quality, heavy duty, economical, one piece nylon cable ties.

Material: nylon 66 Operating temp: -40°C to +85°C Flammability rating: UL 94V-2, UL E97527(S).

Coloured Cable Ties - Non UV (Width 2.5mm)

ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1002RED	100mm	2.5mm	25mm	8kg	Red	100	pkt
EL1002YEL	100mm	2.5mm	25mm	8kg	Yellow	100	pkt
EL1002GRN	100mm	2.5mm	25mm	8kg	Green	100	pkt
EL1002BL	100mm	2.5mm	25mm	8kg	Blue	100	pkt
EL1002OR	100mm	2.5mm	25mm	8kg	Orange	100	pkt
EL1002RED1000	100mm	2.5mm	25mm	8kg	Red	1000	pkt
EL1002YEL1000	100mm	2.5mm	25mm	8kg	Yellow	1000	pkt
EL1002GRN1000	100mm	2.5mm	25mm	8kg	Green	1000	pkt
EL1002BL1000	100mm	2.5mm	25mm	8kg	Blue	1000	pkt
EL1002OR1000	100mm	2.5mm	25mm	8kg	Orange	1000	pkt

Coloured Cable Ties - Non UV (Width 3.2mm)

ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL2003RED	203mm	3.2mm	55mm	18kg	Red	100	pkt
EL2003YEL	203mm	3.2mm	55mm	18kg	Yellow	100	pkt
EL2003GRN	203mm	3.2mm	55mm	18kg	Green	100	pkt
EL2003BL	203mm	3.2mm	55mm	18kg	Blue	100	pkt
EL2003OR	203mm	3.2mm	55mm	18kg	Orange	100	pkt
EL2003RED1000	203mm	3.2mm	55mm	18kg	Red	1000	pkt
EL2003YEL1000	203mm	3.2mm	55mm	18kg	Yellow	1000	pkt
EL2003GRN1000	203mm	3.2mm	55mm	18kg	Green	1000	pkt
EL2003BL1000	203mm	3.2mm	55mm	18kg	Blue	1000	pkt
EL2003OR1000	203mm	3.2mm	55mm	18kg	Orange	1000	pkt

Coloured Cable Ties - Non UV (Width 3.6mm)

ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL3003RED	292mm	3.6mm	85mm	18kg	Red	100	pkt
EL3003YEL	292mm	3.6mm	85mm	18kg	Yellow	100	pkt
EL3003GRN	292mm	3.6mm	85mm	18kg	Green	100	pkt
EL3003BL	292mm	3.6mm	85mm	18kg	Blue	100	pkt
EL3003OR	292mm	3.6mm	85mm	18kg	Orange	100	pkt
EL3003RED1000	292mm	3.6mm	85mm	18kg	Red	1000	pkt
EL3003YEL1000	292mm	3.6mm	85mm	18kg	Yellow	1000	pkt
EL3003GRN1000	292mm	3.6mm	85mm	18kg	Green	1000	pkt
EL3003BL1000	292mm	3.6mm	85mm	18kg	Blue	1000	pkt
EL3003OR1000	292mm	3.6mm	85mm	18kg	Orange	1000	pkt

Coloured Cable Ties - Non UV (Width 4.6mm)

ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL2004RED	203mm	4.6mm	55mm	22kg	Red	100	pkt
EL2004BLUE	203mm	4.6mm	55mm	22kg	Blue	100	pkt
EL2004RED1000	203mm	4.6mm	55mm	22kg	Red	1000	pkt
EL2004BLUE1000	203mm	4.6mm	55mm	22kg	Blue	1000	pkt



ELMARK Nylon Cable Ties (Specialist Cable Ties)

Quality, heavy duty, economical, one piece nylon cable ties.

Material: nylon 66 Operating temp: -40°C to +85°C Flammability rating: UL 94V-2, UL E97527(S).

ELMARK Releasable



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL2004R	200mm	4.7mm	55mm	22kg	Natural	100	pkt
EL1508R	150mm	7.6mm	35mm	55kg	Natural	100	pkt
EL2008R	200mm	7.6mm	50mm	55kg	Natural	100	pkt
EL3008R	300mm	7.6mm	80mm	55kg	Natural	100	pkt

ELMARK Screw Mounting



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1503SM	155mm	3.7mm	40mm	18kg	Natural	100	pkt
EL2004SM	205mm	4.2mm	60mm	22kg	Natural	100	pkt

ELMARK Identification



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1002ID	100mm	2.5mm	25mm	8kg	Natural	100	pkt
EL1102ID	110mm	2.5mm	25mm	8kg	Natural	100	pkt
EL2004ID	200mm	4.8mm	50mm	22kg	Natural	100	pkt
EL3004ID	270mm	4.8mm	78mm	22kg	Natural	100	pkt

ELMARK Push Mounting



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
EL1553PM	155mm	3.6mm	40mm	18kg	Natural	100	pkt

ELMARK Bubble Ties



ESC Code	Length	Bundle Diameter	Pkt Qty	UOM
B130	130mm	30mm	100	pkt
B1301000	130mm	30mm	1000	pkt
B1305000	130mm	30mm	5000	pkt
B200	200mm	55mm	100	pkt
B2001000	200mm	55mm	1000	pkt

ELMARK Ladder Ties



ESC Code	Length	Width	Bundle Diameter	Strength	Colour	Pkt Qty	UOM
L180N	180mm	3.6mm	45mm	18kg	Natural	100	pkt
L180N1000	180mm	3.6mm	45mm	18kg	Natural	1000	pkt
L280N	280mm	3.6mm	76mm	18kg	Natural	100	pkt
L280N1000	280mm	3.6mm	76mm	18kg	Natural	1000	pkt
L180B	180mm	3.6mm	45mm	18kg	UV Black	100	pkt
L180B1000	180mm	3.6mm	45mm	18kg	UV Black	1000	pkt

ELMARK Contractor Pack



ESC Code	Ties Included	UOM
ELCP500B	1 x EL1002B 1 x EL1403B 2 x EL2003B 1 x EL3003B	pkt

ELMARK Cable Ties Accessories

ELMARK Cable Tie Mounts - Self Adhesive

Self-adhesive cable tie mount for wire alignment.



ESC Code	Length	Width	Colour	Pkt Qty	UOM
EL20CTM	20mm	20mm	Natural	100	pkt
EL20CTMS	20mm	20mm	Natural	20	pkt
EL30CTM	28mm	28mm	Natural	100	pkt
EL30CTMS	28mm	28mm	Natural	20	pkt

ELMARK Masonry Bases

Fast, easy installation of attaching cables to masonry surfaces. Installs simply by tapping into a drilled hole. A cable tie is fed through a slot in the head and clamped around the cable. Suits indoor and outdoor applications.



ESC Code	Length	Width	Colour	Pkt Qty	UOM
TC5358	1/4"	4.8mm	UV Black	100	pkt

ELMARK Cable Tie Guns



ESC Code	Description	Pkt Qty	UOM
ELCTG	Cable tie gun for cable ties up to 5mm wide	1	pkt
WT2	Cable tie gun for cable ties up to 7.6mm wide	1	pkt

ELMARK - Stainless Steel Cable Ties

Stainless steel ties are super strong, long lasting & fire proof, therefore ideal for hostile environments. Offering high corrosion and UV resistance and withstand extreme weather conditions. Suits permanent cable bundling & high temperatures to 1200°C.

Roller Ball - Self Locking - 316 Marine Grade (Uncoated)



ESC Code	Length	Width	Bundle Diameter	Tensile Strength	Pkt Qty	UOM
SSRB100	100mm	4.6mm	20mm	44kg	100	pkt
SSRB150	150mm	4.6mm	45mm	44kg	100	pkt
SSRB200	200mm	4.6mm	50mm	44kg	100	pkt
SSRB360	360mm	4.6mm	102mm	44kg	100	pkt
SSRB520	520mm	4.6mm	152mm	44kg	100	pkt
SSRB200H	200mm	7.9mm	50mm	110kg	50	pkt
SSRB360H	360mm	7.9mm	102mm	110kg	50	pkt
SSRB520H	520mm	7.9mm	152mm	110kg	50	pkt

BAND-IT - Stainless Steel Cable Ties

Stainless steel ties are super strong, long lasting & fire proof, therefore ideal for hostile environments. High corrosion and UV resistance and withstand extreme weather conditions. Suits permanent cable bundling & high temperatures to 1200°C. Multi-Lock - Self locking - 316 Marine Grade.

Self Locking - 316 Marine Grade (Coated Nylon 11)



ESC Code	Length	Width	Bundle Diameter	Tensile Strength	Pkt Qty	UOM
AE713	300mm	12mm	96mm	250kg	100	pkt
AE714	450mm	12mm	144mm	250kg	100	pkt

TY-Rap Cable Ties

The grip of steel - with stainless steel locking tab. Unique 2 piece smooth body no notch design. Reduces stress for longer field life and excellent strength. M = Natural MX = UV Black Operating temp: -40°C to +85°C Flammability rating: UL 94V-2 Nylon 66.

Natural



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY523M*	92mm	2.3mm	16mm	8.2kg	100	pkt
TY23M1000*	92mm	2.3mm	16mm	8.2kg	1000	pkt
TY5232M	203mm	2.3mm	50mm	8.2kg	100	pkt
TY5234M	356mm	2.3mm	100mm	8.2kg	100	pkt
TY524*	140mm	3.6mm	32mm	18.2kg	100	pkt
TY526M*	281mm	3.6mm	76mm	18.2kg	100	pkt
TY26M1000*	281mm	3.6mm	76mm	18.2kg	1000	pkt
TY525M*	186mm	4.7mm	44mm	22.7kg	100	pkt
TY25M1000*	186mm	4.7mm	44mm	22.7kg	1000	pkt
TY5253M	290mm	4.7mm	76mm	22.7kg	100	pkt
TY528M*	360mm	4.7mm	102mm	22.7kg	100	pkt
TY28M1000*	360mm	4.7mm	102mm	22.7kg	1000	pkt
TY5272M	223mm	7.7mm	51mm	54.4kg	50	pkt
TY527M*	340mm	7.7mm	89mm	54.4kg	50	pkt
TY529M	762mm	7.7mm	229mm	54.4kg	50	pkt

*Most commonly used cable ties.

Black - U/V Weather Resistant



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY523MX*	92mm	2.3mm	16mm	8.2kg	100	pkt
TY23MX1000*	92mm	2.3mm	16mm	8.2kg	1000	pkt
TY5232MX	203mm	2.3mm	50mm	8.2kg	100	pkt
TY232MX1000	203mm	2.3mm	50mm	8.2kg	1000	pkt
TY5234MX	356mm	2.3mm	100mm	8.2kg	100	pkt
TY524MX*	140mm	3.6mm	32mm	18.2kg	100	pkt
TY24MX1000*	140mm	3.6mm	32mm	18.2kg	1000	pkt
TY5242MX	208mm	3.6mm	51mm	18.2kg	100	pkt
TY526MX*	281mm	3.6mm	76mm	18.2kg	100	pkt
TY26MX1000*	281mm	3.6mm	76mm	18.2kg	1000	pkt
TY525MX*	186mm	4.7mm	44mm	22.7kg	100	pkt
TY25MX1000*	186mm	4.7mm	44mm	22.7kg	1000	pkt
TY5253MX	290mm	4.7mm	76mm	22.7kg	100	pkt
TY528MX*	360mm	4.7mm	102mm	22.7kg	100	pkt
TY28MX1000*	360mm	4.7mm	102mm	22.7kg	1000	pkt
TY5272MX	223mm	7.7mm	51mm	54.4kg	50	pkt
TY527MX*	340mm	7.7mm	89mm	54.4kg	50	pkt
TY27MX500*	340mm	7.7mm	89mm	54.4kg	500	pkt
TY529MX	762mm	7.7mm	229mm	54.4kg	50	pkt
TY29MX500	762mm	7.7mm	229mm	54.4kg	500	pkt

*Most commonly used cable ties

TY-Rap Detectable Cable Ties Nylon 66

Detectable by metal detectors and x-ray, bright blue. Suitable for food hygiene areas.



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY523MNDT	87mm	2.3mm	16mm	8.2kg	100	pkt
TY525MNDT	178mm	4.7mm	44mm	22.7kg	100	pkt
TY527MNDT	335mm	6.9mm	89mm	54.4kg	50	pkt
TY528MNDT	350mm	4.7mm	102mm	22.7kg	100	pkt

TY-Rap Screw Mounting



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY534M	152mm	3.6mm	29mm	18.2kg	100	pkt
TY535M	198mm	4.7mm	44mm	22.7kg	100	pkt
TY537M	353mm	7.7mm	89mm	54.4kg	50	pkt
TY537M1000	353mm	7.7mm	89mm	54.4kg	1000	pkt

TY-Rap Identification Tags



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY546MD	186mm	5mm	44.4mm	22.7kg	100	pkt

TY-Rap Push Mounting



ESC Code	Length	Width	Bundle Diameter	Strength	Pkt Qty	UOM
TY538M	197mm	4.7mm	44mm	22.7kg	100	pkt
TY554M	151mm	3.6mm	29mm	18.2kg	100	pkt
TY554M1000	151mm	3.6mm	29mm	18.2kg	1000	pkt

WHY ELECTRICAL SUPPLY CORP?

Electrical Supply Corp (ESC) are market leaders in a wide range of products for tradesmen. ESC's market focus is primarily based around servicing and supporting electrical and plumbing wholesalers that extends support through selected OEMs, auto-electrical wholesalers and specific industrial companies.

Located in Te Rapa, Hamilton, ESC is in a central location, which makes it possible to offer nationwide overnight* deliveries.

The administration and main distribution centre, are incorporated in a purpose built 7,600 square meters warehouse that provides room to handle its ever expanding portfolio.

Electrical Supply Corp employs over 40 full time and part time staff, comprising of business development managers, product technical specialists and wholesale representatives located regionally throughout New Zealand to best service their customers network.

Disclaimer of liability: Whilst we endeavor to keep the information up to date and correct, ESC makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability or availability with respect to the catalogue or the information, products, services or related graphics contained in the catalogue for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

**Some limitations apply for overnight delivery*



THE HOUSE OF BRANDS

www.thehouseofbrands.co.nz

ABB

Adaptaflex[®]

ARROW

E.G.O
High-tech since 1931.

ELMARK[™]

enhance
light_for architecture

FOS
LIGHTING

HEX
AN ISO 9001 COMPANY

ICCONS[®]
Serious Connections

iroda[®]

LEDVANCE

MITAY

OSRAM 

ProSolve

Sabre[®]

Stanilite[®]

steinel

Tayg

tesa[®]

TUFTAG

Ty-Rap[®]

VENTS





4-8 Mainstreet Place
Te Rapa, Hamilton, 3200
www.electrical.co.nz

sales@electrical.co.nz
+64 7 849 9119
0800 350 000

2021 ©