

SENSOR TECHNOLOGY











Sensor Technology Contents



LEDvance Value



Steinel Motion Detectors
Residential Range



Steinel Sensor Lights
Residential Range



Steinel HF
Motion Detectors
Residential Bange



Steinel Sensor-swtiched
Outdoor Lights
Residential Range



Steinel Photo-cell
Controller
Residential Range



Steinel Motion & Presence
Detectors Commercial
Range



Steinel Presence Detectors Commercia Range (Ultra Sonic Sensors)



Steinel Presence Detectors Commercial Range (High Frequency Sensors)




Sensor Technology
Accessories

LEDvance - Sensor Technology

Value Residential Range

LEDvance PIR Infrared sensors, for smart and affordable motion sensing, with high quality European engineering.



Steinel - Sensor Technology

Steinel Motion Detectors - Residential Range

Steinel PIR Infrared sensors are a simple, convenient solution for monitoring areas, with precision targeting.

ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
600310	Steinel IS1	Infrared Sensor	White	10m	120°	IP54	500W	64W	1.8 to 3m
600419	Steinel IS1	Infrared Sensor	Black	10m	120°	IP54	500W	64W	1.8 to 3m
032852	Steinel IS 360-1	Infrared Sensor	Black	4m Radius	360°	IP54	500W	64W	2.5 to 4.0m
032845	Steinel IS 360-1	Infrared Sensor	White	4m Radius	360°	IP54	500W	64W	2.5 to 4.0m
605919	Steinel IS 2160 ECO	Infrared Sensor	Black	12m	160°	IP54	600W	64W	1.8 to 3.0m
606015	Steinel IS 2160 ECO	Infrared Sensor	White	12m	160°	IP54	600W	64W	1.8 to 3.0m

Steinel Motion Detectors - Residential Range (Continued)

	ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
1	034689	Steinel IS 2140 ECO	Infrared Sensor	Black	14m	140°	IP54	1000W	64W	1.8 to 3.0m
F	034672	Steinel IS 2140 ECO	Infrared Sensor	White	14m	140°	IP54	1000W	64W	1.8 to 3.0m
	034726	Steinel IS 2300 ECO	Infrared Sensor	Black	12m	300°	IP54	2000W	64W	1.8 to 4.0m
	034719	Steinel IS 2300 ECO	Infrared Sensor	White	12m	300°	IP54	2000W	64W	1.8 to 4.0m
	006556	Steinel IS 2360 ECO	Infrared Sensor	White	7m	360°	IP54	2000W	64W	2.0 to 4.0m
	006525	Steinel IS 360 - 3	Infrared Sensor	Black	12m Radius	360°	IP54	2000W	600W	2.5 to 6.0m
	057770	Steinel IS 2 360 ECO	Infrared Sensor	White	12m Radius	360°	IP54	2000W	600W	2.5 to 6.0m
J	034702	Steinel IS 2180 ECO	Infrared Sensor	Black	12m	180°	IP54	2000W	64W	1.8 to 4.0m
	064907	Steinel IS 2180 ECO	Infrared Sensor	Black	12m	180°	IP54	2000W	64W	1.8 to 4.0m
	034696	Steinel IS 2180 ECO	Infrared Sensor	White	12m	180°	IP54	2000W	64W	1.8 to 4.0m
	034979	Steinel SensIQ S	Infrared Sensor	Black	20m	300°	IP54	2000W	600W	2.0 to 5.0m
	034955	Steinel SensIQ S	Infrared Sensor	White	20m	300°	IP54	2000W	600W	2.0 to 5.0m

Steinel Sensor Lights - Residential Range

Whether you are lighting a driveway, patio or entrance way, Sensor Lighting translates intelligence into magnificent looks and technology.



		-							
ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
033071	XLED Home 2 (Master)	Infrared Sensor	Black	10m	140°	IP44	1000W	64W	2 - 4m
033118	XLED Home 2 (Slave)	Infrared Sensor	Black	10m	-	IP44	1000W	64W	2 - 4m
030049	XLED Home 2 XL	Infrared Sensor	Black	14m	140°	IP44	1000W	64W	2 - 4m
052546	LS150 LED	Infrared Sensor	Black	12m	240°	IP44	-	-	2 - 6m
065287	L605	Infrared Sensor	Black	10m	180°	IP44	-	-	1.8 - 2m

Steinel HF Motion Detectors - Residential Range

High Frequency (HF) 3D sensors are the latest innovation in sensor technology, with the ability to distinguish human movements from trees, small animals, and rain, with absolute precision.



ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
007591	Steinel iHF 3D	Intelligent High Frequency Sensor	Anthracite	3 x 7m	160°	IP54	2000W	450W	1.80 - 2.0m

Steinel Sensor-switched Outdoor Lights - Residential Range

This outdoor Sensor Light translates intelligence into magnificent looks and technology. This high-quality designer piece is meticulously thought-through and made with particular care from materials that last.



ES	SC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
()35747	L800 iHF (Downlight)	Intelligent High Frequency Sensor	Anthracite	3x5m	160°	IP44	-	-	1.8 - 2.5m
(009847	L810 iHF (Up & Down Light)	Intelligent High Frequency Sensor	Anthracite	3x5m	160°	IP44	-	-	1.8 - 2.5m

Steinel Photo-cell Controller - Residential Range

At night the photocell controller takes care of switching the outside light 'ON' and 'OFF' all by itself. But that's not all: The intelligent night-economy mode automatically switches the light 'OFF' after a programmable time and back 'ON' again in the early hours.



ESC Code	Description	Colour	IP Rating	GLS	LED	Light Level Settings	Mounting	Setting
550417	NightMatic 2000	White	IP54	1000W	64W	2 - 30 lx	Surface Mount	Analogue Adjustments

Steinel Motion and Presence Detectors - Commercial Range

A commercial sensor needs to work reliably in a variety of different applications. Steinel offer a full range of presence detection products to suit almost any application and environment.



Steinel Presence Detectors - Commercial Range (Ultrasonic Sensors)

Ultrasonic presence detector US360 is perfect for offices, conference rooms, storerooms and classrooms. The presence detection zone envelops objects as opposed to penetrating them regardless of temperature. Electronic reach adjustable along with COM1 switching.







ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
007997	Steinel Dual Tech	Ultrasonic / High Frequency Sensor	White	10m x 10m -79m²	Defined Space	IP20	2000W	600W	2.5 - 3.5m
007935	Steinel US 360	Ultrasonic / High Frequency Sensor	White	10m x 10m -79m²	Defined Space	IP20	2000W	600W	2.5 - 3.5m
007843	Steinel Dual US	Ultrasonic / High Frequency Sensor	White	3 x 20m	Corridor	IP20	2000W	600W	2.5 - 3.5m

Steinel Presence Detectors - Commercial Range (High Frequency Sensors)

The high-frequency sensor technology detects movement through glass, wood and stud walls, switching light 'ON' almost instantly.



ESC Code	Description	Technology	Colour	Reach	Coverage	IP Rating	GLS	LED	Mounting Height
002800	Steinel HF 360	High Frequency Sensor	White	6m Radius	Restroom	IP20	2000W	600W	2.5 - 3.5m
002848	Steinel HF 360 Com 2	High Frequency Sensor	White	6m Radius	Restroom	IP20	2000W	600W	2.5 - 3.5m

Sensor Technology Accessories





ESC Code	Description	UOM
000370KAISER	Kaiser Box to suit Steinel IR Quattro	ea
000363	Steinel Surface Mounting Adaptor Control Pro Ap Box IP54	ea



WHY ELECTRICAL SUPPLY CORP?

Electrical Supply Corp (ESC) are market leaders in a wide range of products for tradesmen. ESC's market focus is primarily based around servicing and supporting electrical and plumbing wholesalers that extends support through selected OEMs, auto-electrical wholesalers and specific industrial companies.

Located in Te Rapa, Hamilton, ESC is in a central location, which makes it possible to offer nationwide overnight* deliveries.

The administration and main distribution centre, are incorporated in a purpose built 7,600 square meters warehouse that provides room to handle its ever expanding portfolio.

Electrical Supply Corp employs over 40 full time and part time staff, comprising of business development managers, product technical specialists and wholesale representatives located regionally throughout New Zealand to best service their customers network.

Disclaimer of liability: Whilst we endea vour to keep the information up to date and correct, ESC makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability or availability with respect to the catalogue or the information, products, services or related graphics contained in the catalogue for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

*Some limitations apply for overnight delivery



THE HOUSE OF BRANDS

www.thehouseofbrands.co.nz

















































4-8 Mainstreet Place Te Rapa, Hamilton, 3200 www.electrical.co.nz

sales@electrical.co.nz +64 7 849 9119 0800 350 000

2021 ©