



ABB 1600V 100A



LV Power Distribution Contents



174

HRC Fuse Links
Staggered Tags



175

HRC Fuse Links Slotted
Offset Tags



175

HRC Fuse Links
Offset Tags



177

HRC Fuse Links
Central Tags



178

HRC Motor Rated Fuse
Links Staggered Tags



178

HRC Motor Rated Fuse
Links Offset Tags




178

HRC Motor Rated Fuse
Links Central Tags



179

HRC Cylindrical Fuses



180

HRC Fuse Link
Blade Type



181

HRC NH Blade Fuses



182

Semi Conductor Fuses



183

Fuse Links for E Bases



183

Slow Blow Fuse Link for
E Bases



184

Bottle Fuses



185

Bottle Fuse "D" Type



185

J Type / Pillar Fuses



185

Bobbin



185

Linocur



186

Plastic Fuse Carriers



187

ABB EV Charging



187

ABB EV Charging Cable



188

ABB Plugs (Male)



189

ABB Plugs (Female)



190

ABB Inlet Surface /
Wall Mount



190

ABB Inlet Panel Mount



190

ABB Container Solutions



191

ABB Socket Panel Mounted



192

ABB Socket Surface /
Wall Mounted



192

ABB Switched Sockets



193

ABB Caravan Supply Adaptor

Contents Continues... Please Turn Over...

LV Power Distribution Contents



ABB Plug & Connector
Supply Lead



ABB Caravan Supply Kits



ABB Industrial Plugs &
Sockets Accessories



Switchboard Solution



ABB Gemini Enclosures




ABB Gemini Kits



ABB Thermoplastic
Enclosures



ABB Polycarbonate
Enclosures



ABB Switch
Disconnectors



ABB Handles



ABB Shaft



ABB Disconnectors
Accessories



ABB Motor Starters



ABB Driver



ABB Motor Starter
Enclosure




ABB Connect Links



ABB Aux Contact for
Motor Starters



ABB Push Buttons
(Compact)



ABB Emergency Stops
(Compact)



ABB Selector Switches
(Compact)



ABB Pilot Lights
(Compact)



ABB Enclosures
(Compact)



ABB Push Buttons
(Modular)



ABB Emergency Stops
(Modular)



ABB Selector Switches
(Modular)



ABB Contact Blocks
(Modular)



ABB Pilot Lights
(Modular)



ABB Reset Button
(Modular)




ABB Lamp Blocks
(Modular)



ABB Terminals

LV Power Distribution Contents




209

ABB End Stop




209

ABB End Section



209

ABB Jumper Link



210

ABB AF Contactors



211

ABB Aux Contacts




211

ABB Mechanical &
Electrical Interlock



212

ABB Thermal Overload




212

ABB Connection Set



212

ABB Direct on line Starter



213

ABB Softstarters



213

ABB Drives



213

ABB Keypad



213

ABB Ethernet / IP Adapter
Module



214

Circuit Breakers



214

Safety Base Back Entry



214

Fuse Pole Covers



215

Elmark RCBO



215

ABB Power Supply



215

ABB Pluggable Interface
Relay



215

ABB Relay Sockets

LV Power Distribution - Staggered Fuses

HRC Fuse Links Staggered Tags (Type G06)



ESC Code	Description	Type	AMP	UOM
NZI644609	Hrc Fuse Link Staggered Tag 2NSD	2G06	2	pkt
NZI644617	Hrc Fuse Link Staggered Tag 4NSD	4G06	4	pkt
NZI644625	Hrc Fuse Link Staggered Tag 6NSD	6G06	6	pkt
NZI644633	Hrc Fuse Link Staggered Tag 10NSD	10G06	10	pkt
NZI644641	Hrc Fuse Link Staggered Tag 16NSD	16G06	16	pkt
NZI644668	Hrc Fuse Link Staggered Tag 20NSD	20G06	20	pkt
NZI646881	Hrc Fuse Link Staggered Tag 25NSD	25G06	25	pkt
NZI646903	Hrc Fuse Link Staggered Tag 32NSD	32G06	32	pkt

Please Note: Motor rated fuses are found on page 176

HRC Fuse Links Slotted Offset Tags (Type NITD)



ESC Code	Description	Type	AMP	UOM
NZI641359	Hrc Fuse Link Slotted Offset Tag	6NITD	6	ea
NZI641367	Hrc Fuse Link Slotted Offset Tag	10NITD	10	ea
NZI641375	Hrc Fuse Link Slotted Offset Tag	16NITD	16	ea
NZI641383	Hrc Fuse Link Slotted Offset Tag	20NITD	20	ea

HRC Fuse Links Offset Tags (Type H07)



ESC Code	Description	Type	AMP	UOM
NZI645303	Hrc Fuse Link Offset Tag 2AAO	2H07	2	pkt
NZI645338	Hrc Fuse Link Offset Tag 6AAO	6H07	6	pkt
NZI645346	Hrc Fuse Link Offset Tag 10AAO	10H07	10	pkt
NZI645354	Hrc Fuse Link Offset Tag 16AAO	16H07	16	pkt
NZI645362	Hrc Fuse Link Offset Tag 20AAO	20H07	20	pkt
NZI645370	Hrc Fuse Link Offset Tag 25AAO	25H07	25	pkt
NZI645389	Hrc Fuse Link Offset Tag 32AAO	32H07	32	pkt

HRC Fuse Links Offset Tags (Type K07)



ESC Code	Description	Type	AMP	UOM
NZI645664	Hrc Fuse Link Offset Tag 40BAO	40K07	40	pkt
NZI645680	Hrc Fuse Link Offset Tag 50BAO	50K07	50	pkt
NZI645702	Hrc Fuse Link Offset Tag 63BAO	63K07	63	pkt
NZI692336	Hrc Fuse Link Offset Tag R OSD	80K07	80	ea
NZI692344	Hrc Fuse Link Offset Tag R OSD	100K07	100	ea

HRC Fuse Links Offset Tags (Type L14)



ESC Code	Description	Type	AMP	UOM
NZI646512	Hrc Fuse Link Offset Tag 32CEO	32L14	32	ea
NZI646520	Hrc Fuse Link Offset Tag 40CEO	40L14	40	ea
NZI646539	Hrc Fuse Link Offset Tag 50CEO	50L14	50	ea
NZI646547	Hrc Fuse Link Offset Tag 63CEO	63L14	63	ea
NZI646555	Hrc Fuse Link Offset Tag 80CEO	80L14	80	pkt
NZI646563	Hrc Fuse Link Offset Tag 100CEO	100L14	100	ea

LV Power Distribution - Offset Fuses

HRC Fuse Links Offset Tags (Type M14)



ESC Code	Description	Type	AMP	UOM
NZI646636	Hrc Fuse Link Offset Tag 125DEO	125M14	125	ea
NZI646652	Hrc Fuse Link Offset Tag 160DEO	160M14	160	ea
NZI646660	Hrc Fuse Link Offset Tag 200DEO	200M14	200	ea

HRC Fuse Links Offset Tags (Type L09)



ESC Code	Description	Type	AMP	UOM
NZI646458	Hrc Fuse Link Offset Tag 80amp 80L09 80CD	80L09	80	ea
NZI646466	Hrc Fuse Link Offset Tag 100amp 100L09 100CD	100L09	100	ea

HRC Fuse Links Offset Tags (Type P09)



ESC Code	Description	Type	AMP	UOM
NZI646687	Hrc Fuse Link Central Tag 400ED	400P09	400	ea

HRC Fuse Links Central Tags (Type K09)



ESC Code	Description	Type	AMP	UOM
NZI650560	Hrc Fuse Link Central Tag 10AD	10K09	10	ea
NZI650587	Hrc Fuse Link Central Tag 20AD	20K09	20	ea
NZI650595	Hrc Fuse Link Central Tag 25AD	25K09	25	ea
NZI650609	Hrc Fuse Link Central Tag 32AD	32K09	32	ea
NZI650617	Hrc Fuse Link Central Tag 40BD	40K09	40	ea
NZI650625	Hrc Fuse Link Central Tag 50BD	50K09	50	ea
NZI650633	Hrc Fuse Link Central Tag 63BD	63K09	63	ea

HRC Fuse Links Central Tags (Type M09)



ESC Code	Description	Type	AMP	UOM
NZI646571	Hrc Fuse Link Central Tag 125DD	125M09	125	ea
NZI646601	Hrc Fuse Link Central Tag 160DD	160M09	160	ea
NZI646628	Hrc Fuse Link Central Tag 200DD	200M09	200	ea

HRC Fuse Links Central Tags (Type N09)



ESC Code	Description	Type	AMP	UOM
NZI646709	Hrc Fuse Link Central Tag 250ED	250N09	250	ea
NZI646717	Hrc Fuse Link Central Tag 315ED	315N09	315	ea

HRC Fuse Links Central Tags (Type N11)



ESC Code	Description	Type	AMP	UOM
NZI646768	Hrc Fuse Link Central Tag 250EFS	250N11	250	ea
NZI646776	Hrc Fuse Link Central Tag 315EFS	315N11	315	ea

HRC Fuse Links Central Tags (Type P11)



ESC Code	Description	Type	AMP	UOM
NZI646644	Hrc Fuse Link Central Tag 400P11	400EF	400	ea

HRC Fuse Links Central Tags (Type R11)



ESC Code	Description	Type	AMP	UOM
NZI646946	Hrc Fuse Link Central Tag 450R11	450FF	450	ea

LV Power Distribution - Motor Rated Fuses

HRC Motor Rated Fuse Links Staggered Tags (Type G06)



ESC Code	Description	Type	AMP	UOM
NZI649295	Hrc Fuse Link Staggered Tag NSD	G06	10/16	pkt
NZI649333	Hrc Fuse Link Staggered Tag NSD	G06	16/20	pkt
NZI649201	Hrc Fuse Link Staggered Tag NSD	G06	20/25	pkt
NZI649228	Hrc Fuse Link Staggered Tag NSD	G06	20/32	pkt
NZI649171	Hrc Fuse Link Staggered Tag 25M32	G06	25/32	pkt
NZI649236	Hrc Fuse Link Staggered Tag 32M40	G06	32/40	pkt

HRC Motor Rated Fuse Links Offset Tags (Type H07)



ESC Code	Description	Type	AMP	UOM
NZI649368	Hrc Fuse Link Offset Tag 32M40 AAO	H07	32/40	ea
NZI649384	Hrc Fuse Link Offset Tag 32M50 AAO	H07	32/50	ea
NZI649392	Hrc Fuse Link Offset Tag 32M63 AAO	H07	32/63	ea

HRC Motor Rated Fuse Links Offset Tags (Type L09)



ESC Code	Description	Type	AMP	UOM
NZI649651	Hrc Fuse Link Offset Tag CD	L09	100/125	ea
NZI649678	Hrc Fuse Link Offset Tag CD	L09	100/160	ea

HRC Motor Rated Fuse Links Offset Tags (Type L14)



ESC Code	Description	Type	AMP	UOM
NZI649597	Hrc Fuse Link Offset Tag CEO	L14	100/125	ea
NZI649619	Hrc Fuse Link Offset Tag CEO	L14	100/160	ea

HRC Motor Rated Fuse Links Offset Tag (Type M14)



ESC Code	Description	Type	AMP	UOM
NZI649643	Hrc Fuse Link Offset Tag DEO	M14	200/250	ea

HRC Motor Rated Fuse Links Offset Tag (Type N09)




ESC Code	Description	Type	AMP	UOM
NZI649724	Hrc Fuse Link Offset Tag ED	N09	315/400	ea

HRC Motor Rated Fuse Links Central Tag (Type P09)



ESC Code	Description	Type	AMP	UOM
NZI646695	Hrc Fuse Link Central Tag ED	P09	400/500	ea

HRC Cylindrical Fuses (Type KR85)



KEY
A= 58mm
B = 18.5mm
C = 22.3mm

ESC Code	Description	Type	AMP	UOM
NZI647802	Hrc House Service Fuse Links	KR85	5	ea
NZI647810	Hrc House Service Fuse Links	KR85	10	ea
NZI647829	Hrc House Service Fuse Links	KR85	15	ea
NZI647837	Hrc House Service Fuse Links	KR85	20	ea
NZI647853	Hrc House Service Fuse Links	KR85	30	ea
NZI647861	Hrc House Service Fuse Links	KR85	40	ea
NZI647896	Hrc House Service Fuse Links	KR85	50	ea
NZI647918	Hrc House Service Fuse Links	KR85	60	ea
NZI647926	Hrc House Service Fuse Links	KR85	80	ea
NZI647934	Hrc House Service Fuse Links	KR85	100	ea

Industrial Cylindrical Fuse Links



ESC Code	Description	Size	AMP	UOM
NZI654574	gl-gG Ferraz Shawmut	10 x 38mm	1	ea
NZI654299	gl-gG Ferraz Shawmut	10 x 38mm	2	ea
NZI654388	gl-gG Ferraz Shawmut	10 x 38mm	4	ea
NZI654302	gl-gG Ferraz Shawmut	10 x 38mm	6	ea
NZI653330	gl-gG Ferraz Shawmut	10 x 38mm	8	ea
NZI654310	gl-gG Ferraz Shawmut	10 x 38mm	10	ea
NZI654329	gl-gG Ferraz Shawmut	10 x 38mm	16	ea
NZI654337	gl-gG Ferraz Shawmut	10 x 38mm	20	ea
NZI654353	gl-gG Ferraz Shawmut	10 x 38mm	25	ea
NZI654345	gl-gG Ferraz Shawmut	10 x 38mm	32	ea

Nato Fuses (Ferrule Type)



ESC Code	Description	Size	AMP	UOM
NZI686948	Nato Fuse Link Body Ferrule 059-0110	0	2	ea
NZI686956	Nato Fuse Link Body Ferrule 059-0111	0	3	ea
NZI686964	Nato Fuse Link Body Ferrule 059-0112	0	5	ea
NZI686980	Nato Fuse Link Body Ferrule 011-9925	0	10	ea

LV Power Distribution - Blade Fuses

HRC Fuse Link Blade Type (Type NH00 OOC/000)



ESC Code	Description	Type	AMP	UOM
NZI689114	Hrc Fuse Link Blade Type OOC/000 500V	NH00	6	ea
NZI688584	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	10	ea
NZI690317	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	16	ea
NZI689130	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	20	ea
NZI689122	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	25	ea
NZI689149	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	32	ea
NZI689157	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	35	ea
NZI689238	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	40	ea
NZI689165	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	50	ea
NZI689173	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	63	ea
NZI689181	Hrc Fuse Link Blade Type OOC/ 000 500V	NH00	80	ea
NZI689203	Hrc Fuse Link Blade Type OOC /000 500V	NH00	100	ea

HRC Fuse Link Blade Type (Type NH00)



ESC Code	Description	Type	AMP	UOM
NZI689211	Hrc Fuse Link Blade Type Din 00 500V	NH00	125	ea
NZI689491	Hrc Fuse Link Blade Type Din 00 500V	NH00	160	ea

HRC Fuse Link Blade Type (Type NH0)



ESC Code	Description	Type	AMP	UOM
NZI689319	Hrc Fuse Link Blade Type Din 0 500V	NH0	63	ea
NZI689327	Hrc Fuse Link Blade Type Din 0 500V	NH0	80	ea
NZI689335	Hrc Fuse Link Blade Type Din 0 500V	NH0	100	ea
NZI689343	Hrc Fuse Link Blade Type Din 0 500V	NH0	125	ea
NZI689351	Hrc Fuse Link Blade Type Din 0 500V	NH0	160	ea
NZI687804	Hrc Fuse Link Blade Type Din 0 500V	NH0	200	ea
NZI689386	Hrc Fuse Link Blade Type Din 0 500V	NH0	250	ea

HRC Fuse Link Blade Type (Type NH1)



ESC Code	Description	Type	AMP	UOM
NZI689408	Hrc Fuse Link Blade Type Din 1 500V	NH1	35	ea
NZI689424	Hrc Fuse Link Blade Type Din 1 500V	NH1	63	ea
NZI689440	Hrc Fuse Link Blade Type Din 1 500V	NH1	100	ea
NZI689467	Hrc Fuse Link Blade Type Din 1 500V	NH1	160	ea
NZI689475	Hrc Fuse Link Blade Type Din 1 500V	NH1	200	ea
NZI689939	Hrc Fuse Link Blade Type Din 1 500V	NH1	250	ea
NZI689661	Hrc Fuse Link Blade Type Din 1 500V	NH1	315	ea

HRC Fuse Link Blade Type (Type NH2)



ESC Code	Description	Type	AMP	UOM
NZI689548	Hrc Fuse Link Blade Type Din 2 500V	NH2	63	ea
NZI689882	Hrc Fuse Link Blade Type Din 2 500V	NH2	100	ea
NZI689564	Hrc Fuse Link Blade Type Din 2 500V	NH2	125	ea
NZI689572	Hrc Fuse Link Blade Type Din 2 500V	NH2	160	ea
NZI689580	Hrc Fuse Link Blade Type Din 2 500V	NH2	200	ea
NZI689890	Hrc Fuse Link Blade Type Din 2 500V	NH2	250	ea
NZI689610	Hrc Fuse Link Blade Type Din 2 500V	NH2	315	ea
NZI689629	Hrc Fuse Link Blade Type Din 2 500V	NH2	355	ea
NZI689637	Hrc Fuse Link Blade Type Din 2 500V	NH2	400	ea
NZI689653	Hrc Fuse Link Blade Type Din 2 500V	NH2	500	ea

HRC Fuse Link Blade Type (Type NH3)



ESC Code	Description	Type	AMP	UOM
NZI689645	Hrc Fuse Link Blade Type Din 3 500V	NH3	315	ea
NZI689556	Hrc Fuse Link Blade Type Din 3 500V	NH3	355	ea
NZI689599	Hrc Fuse Link Blade Type Din 3 500V	NH3	400	ea
NZI689696	Hrc Fuse Link Blade Type Din 3 500V	NH3	500	ea
NZI689718	Hrc Fuse Link Blade Type Din 3 500V	NH3	630	ea
NZI689904	Hrc Fuse Link Blade Type Din 3 500V	NH3	800	ea

HRC NH Blade Fuses (Solid Link)



ESC Code	Description	AMP	UOM
NZI688983	Fuse Link Blade Type Solid Link 00	160	ea
NZI689300	Fuse Link Blade Type Solid Link 2	400	ea
NZI657131	Fuse Link Blade Type Solid Link 3	630	ea

LV Power Distribution - Semi - Conductor Fuses

Semi - Conductor "T" Type Fuses (Type LET)



ESC Code	Description	Type	AMP	UOM
NZI685003	Hrc Fuse Link Type 240V Fast Acting	25LET	25	ea
NZI685038	Hrc Fuse Link Type 240V Fast Acting	35LET	35	ea
NZI685070	Hrc Fuse Link Type 240V Fast Acting	125LET	125	ea

Semi - Conductor "T" Type Fuses (Type FE)



ESC Code	Description	Type	AMP	UOM
NZI690805	Hrc Fuse Link Type 660V Fast Acting	40FE(35ET)	40	ea
NZI690848	Hrc Fuse Link Type 660V Fast Acting	63FE(56ET)	63	ea
NZI690856	Hrc Fuse Link Type 660V Fast Acting	80FE(80ET)	80	ea

Semi - Conductor "T" Type Fuses (Type FEE)



ESC Code	Description	Type	AMP	UOM
NZI690899	Hrc Fuse Link 660V Fast Acting	100FEE(90EET)	80	ea
NZI690910	Hrc Fuse Link 660V Fast Acting	160FEE (140EET)	160	ea
NZI691003	Hrc Fuse Link 660V Fast Acting	200FEE	200	ea

Semi - Conductor "T" Type Fuses (Type FM)



ESC Code	Description	Type	AMP	UOM
NZI690996	Hrc Fuse Link 350amp 660V Fast Acting	350FM (355MT)	350	ea
NZI691097	Fuse Link 500amp 660V Fast Acting	500FMM (400MMT)	500	ea
NZI691100	Fuse Link 550amp 660V Fast Acting	550FMM (400MMT)	550	ea
NZI691488	Fuse Link 700amp 660V Fast Acting	700FMM (560MMT)	700	ea

Fuse Links for E16 Bases



ESC Code	Description	AMP	UOM
NZI690597	Fuse Link Type ND for E16 Base 500V 594-002	2	ea
NZI690600	Fuse Link Type ND for E16 Base 500V 594-004	4	ea
NZI690619	Fuse Link Type ND for E16 Base 500V 594-006	6	ea
NZI690627	Fuse Link Type ND for E16 Base 500V 594-010	10	ea
NZI690635	Fuse Link Type ND for E16 Base 500V 594-016	16	ea
NZI690643	Fuse Link Type ND for E16 Base 500V 594-020	20	ea
NZI690651	Fuse Link Type ND for E16 Base 500V 594-025	25	ea

Fuse Links for E27 Bases



ESC Code	Description	AMP	UOM
NZI688657	Fuse Link Type DII for E27 Base 500V 597-002	2	ea
NZI688665	Fuse Link Type DII for E27 Base 500V 597-004	4	ea
NZI688673	Fuse Link Type DII for E27 Base 500V 597-006	6	ea
NZI688681	Fuse Link Type DII for E27 base 500V 597-010	10	ea
NZI688703	Fuse Link Type DII for E27 Base 500V 597-016	16	ea
NZI688711	Fuse Link Type DII for E27 Base 500V 597-020	20	ea
NZI688738	Fuse Link Type DII for E27 Base 500V 597-025	25	ea

Fuse Links for E33 Bases



ESC Code	Description	AMP	UOM
NZI688746	Fuse Link Type DIII for E33 Base 500V 598-035	35	ea
NZI688754	Fuse Link Type DIII for E33 Base 500V 598-050	50	ea
NZI688762	Fuse Link Type DIII for E33 Base 500V 598-063	63	ea

Slow Blow Fuse Link for E27 Bases



ESC Code	Description	AMP	UOM
NZI688797	Fuse Link Type DII for E27 Base 500V 597-0027 Slow Fuse	2	ea
NZI688819	Fuse Link Type DII for E27 Base 500V 597-0067 Slow Fuse	6	ea
NZI688827	Fuse Link Type DII for E27 Base 500V 597-0107 Slow Fuse	10	ea
NZI688835	Fuse Link Type DII for E27 Base 500V 597-0167 Slow Fuse	16	ea
NZI688843	Fuse Link Type DII for E27 Base 500V 597-0207 Slow Fuse	20	ea
NZI688851	Fuse Link Type DII for E27 Base 500V 597-0257 Slow Fuse	25	ea

Slow Blow Fuse Link for E33 Bases



ESC Code	Description	AMP	UOM
NZI688878	Fuse Link Type DIII for E33 Base 500V 598-0357 Slow Fuse	35	ea
NZI688886	Fuse Link Type DIII for E33 Base 500V 598-0507 Slow Fuse	50	ea
NZI688894	Fuse Link Type DIII for E33 Base 500V 598-0637 Slow Fuse	63	ea

LV Power Distribution - Bottle Fuses

Bottle Fuses (Type D01)




ESC Code	Description	Type	AMP	UOM
NZI687855	Hrc Fuse Link Type D01 2amp	D01	2	ea
NZI687863	Hrc Fuse Link Type D01 4amp	D01	4	ea
NZI687820	Hrc Fuse Link Type D01 6amp	D01	6	ea
NZI687839	Hrc Fuse Link Type D01 10amp	D01	10	ea
NZI687847	Hrc Fuse Link Type D01 16amp	D01	16	ea

Bottle Fuses (Type D02)




ESC Code	Description	Type	AMP	UOM
NZI687901	Hrc Fuse Link Type D02 20amp	D02	20	ea
NZI687928	Hrc Fuse Link Type D02 25amp	D02	25	ea
NZI687936	Hrc Fuse Link Type D02 35amp	D02	35	ea
NZI687944	Hrc Fuse Link Type D02 50amp	D02	50	ea
NZI687952	Hrc Fuse Link Type D02 63amp	D02	63	ea

Bottle Fuses




D01




D02

All dimensions are in "mm".


Diazed Fuses



DI



DII



DIII

Bottle Fuse "D" Type



ESC Code	Description	AMP	UOM
NZI689033	D Type Fuse Link Gauge Piece DII 500V 177220	20	ea
NZI689076	D Type Fuse Link Gauge Piece DII 500V 177225	25	ea
NZI689025	D Type Fuse Link Gauge Piece DIII 500V 177335	35	ea
NZI689742	D Type Fuse Link Gauge Piece DIII 500V 177350	50	ea

J Type/Pillar Fuses



ESC Code	Description	AMP	UOM
NZI647268	Pillar/J Type Fuse 76mm Fixing 100MJ29	100	ea
NZI647373	Pillar/J Type Fuse 82mm Fixing 32MJ30	32	ea
NZI647403	Pillar/J Type Fuse 82mm Fixing 63MJ30	63	ea
NZI647438	Pillar/J Type Fuse 82mm Fixing 100MJ30	100	ea
NZI647454	Pillar/J Type Fuse 82mm Fixing 160MJ30	160	ea
NZI647470	Pillar/J Type Fuse 82mm Fixing 250MJ30	250	ea

Bobbin



ESC Code	Description	UOM
NZI185604	Bobbin / Reel Insulator 210	ea

Linocur



ESC Code	Description	UOM
NZI690659	Linocur 1 Pole Isolator	ea

Plastic Fuse Carriers



ESC Code	Description	AMP	UOM
NZI540161	Mount Carrier Safeloc EE/EE Fuse Holder	32	ea
NZII540757	Plastic Fuse Carrier & Base Din Mount Back Entry G07	32	ea
NZI540536	Safeloc Plastic Fuse Holder and Base Din Mount End Entry	63	ea
NZI677981	Plastic Fuse Carrier & Base 2x Back Entry K07	63	ea
NZI677965	Plastic Fuse Carrier & Base 2x End Entry K07	63	ea
NZI678686	Plastic Fuse Carrier & Base 2x Back Entrys L14	100	ea
NZI678678	Plastic Fuse Carrier & Base 2x End Entrys L14	100	ea

ABB EV Charger



ESC Code	Description	UOM
6AGC082587	Terra AC EV Charger 3.7kw 1ph 16A Socket with shutter Type 2	ea
6AGC081278	Terra AC EV Charger 7.4kw 1ph 32A Socket Type 2	ea
6AGC082155	Terra AC EV Charger 7.4kw 1ph 32A 5m cable Type 2 RFID	ea
6AGC082174	Terra AC EV Charger 7.4kw 1ph 32A Socket Type 2 RFID 4G Display+MID	ea
6AGC082152	Terra AC EV Charger 22kW 3phase 32A Socket Type 2 RFID	ea
6AGC082153	Terra AC EV Charger 22kW 3phase 32A Socket Type 2 RFID 4G	ea
6AGC082157	Terra AC EV Charger 22kW 3phase 32A 5M Cable Type 2 RFID 4G	ea
6AGC081280	Terra AC EV Charger 22kW 3phase 32A Socket Type 2 RFID Display+MID	ea
6AGC081281	Terra AC EV Charger 22kW 3phase 32A Socket Type 2 RFID 4G Display+MID	ea
6AGC081285	Terra AC EV Charger 22kW 3phase 32A 5M Cable Type 2 RFID 4G Display+MID	ea
6AGC082326	Terra AC EV Charger Metal pedestal for 1 or 2 chargers back-to-back free-standing	ea
6AGC082535	Terra AC EV Charger Single Phase 32A Type 2 to Type 2 EV 7m Charging Lead	ea
6AGC082537	Terra AC EV Charger Three Phase 32A Type 2 to Type 2 EV 7m Charging Lead	ea
6AGC082538	Terra AC EV Charger Single Phase 16A Type 2 to Type 1 EV 7m Charging Lead	ea
6AGC082539	Terra AC EV Charger Single Phase 32A Type 2 to Type 1 EV 7m Charging Lead	ea

*DC Chargers available on request

ABB EV Charging Cable



ESC Code	Description	UOM
EVL1P16AEVT2T2-5M	EV Charging Cable 16A 1 Phase T2 to T2 - 5 Meter	ea
EVL1P16AEVT2T2-8M	EV Charging Cable 16A 1 Phase T2 to T2 - 8 Meter	ea
EVL1P32AEVT2T1-8M	EV Charging Cable 32A 1 Phase T2 to T1 - 8 Meter	ea
EVL1P32AEVT2T2-5M	EV Charging Cable 32A 1 Phase T2 to T2 - 5 Meter	ea
EVL1P32AEVT2T2-8M	EV Charging Cable 32A 1 Phase T2 to T2 - 8 Meter	ea
EVL3P16AEVT2T2-5M	EV Charging Cable 16A 3 Phase T2 to T2 - 5 Meter	ea
EVL3P16AEVT2T2-8M	EV Charging Cable 16A 3 Phase T2 to T2 - 8 Meter	ea
EVL3P32AEVT1T2-8M	EV Charging Cable 32A 1 Phase T2 to T1 - 8 Meter	ea
EVL3P32AEVT2T2-5M	EV Charging Cable 32A 3 Phase T2 to T2 - 5 Meter	ea
EVL3P32AEVT2T2-8M	EV Charging Cable 32A 3 Phase T2 to T2 - 8 Meter	ea

*Pedestal are available on request

To serve a
growing market

Passenger EV sales will rise to

28m and **56m**
in 2030 by 2040*

Electric vehicles will represent

57% of global passenger
car sales by 2040*

We are trusted by the world's biggest brands to provide smarter mobility solutions from highway to home. This means we know exactly what goes into creating a superior EV home charger.



LV Power Distribution - Industrial Plugs & Sockets

ABB Plugs IP44 (Male)

	ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
	216EP6	ABB Plug IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea
	232EP6	ABB Plug IP44 6H 3P 32A 230V Quick Connect	IP44	2P+E	3P	32A	230V	ea
	332EP6	ABB Plug IP44 6H 4P 32A 415V	IP44	3P+E	4P	32A	400/415V	ea
	432EP6	ABB Plug IP44 6H 5P 32A 415V	IP44	3P+N+E	5P	32A	400/415V	ea

ABB Plugs IP67 (Male)

	ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
	216EP6W	ABB Plug IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
	232EP6W	ABB Plug IP67 6H 3P 32A 230V	IP67	2P+E	3P	32A	230V	ea
	263P9W	ABB Plug IP67 9H 3P 63A 415V	IP67	2P+E	3P	63A	400/415V	ea
	332EP6W	ABB Plug IP67 6H 4P 32A 415V	IP67	3P+E	4P	32A	400/415V	ea
	363P6W	ABB Plug IP67 6H 4P 63A 415V	IP67	3P+E	4P	63A	400/415V	ea
	463P6W	ABB Plug IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea
	432EP6W	ABB Plug IP67 6H 5P 32A 415V	IP67	3P+N+E	5P	32A	400/415V	ea
	4125P6W	ABB Plug IP67 6H 5P 125A 415V	IP67	3P+N+E	5P	125A	400/415V	ea

ABB Connectors IP44 (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216EC6	ABB Connector IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea
416EC6	ABB Connector IP44 6H 5P 16A 415V	IP44	3P+N+E	5P	16A	400/415V	ea
232EC6	ABB Connector IP44 6H 3P 32A 230V	IP44	2P+E	3P	32A	230V	ea
332EC6	ABB Connector IP44 6H 4P 32A 415V	IP44	3P+E	4P	32A	400/415V	ea
432EC6	ABB Connector IP44 6H 5P 32A 415V	IP44	3P+N+E	5P	32A	400/415V	ea

ABB Connectors IP67 (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216EC6W	ABB Connector IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
232EC6W	ABB Connector IP67 6H 3P 32A 230V	IP67	2P+E	3P	32A	230V	ea
332EC6W	ABB Connector IP67 6H 4P 32A 415V	IP67	3P+E	4P	32A	400/415V	ea
432EC6W	ABB Connector IP67 6H 5P 32A 400V	IP67	3P+N+E	5P	32A	400/415V	ea
363C6W	ABB Connector IP67 6H 4P 63A 415V	IP67	3P+E	4P	63A	400/415V	ea
463C6W	ABB Connector IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea
4125C6W	ABB Connector IP67 6H 5P 125A 415V	IP67	3P+N+E	5P	125A	400/415V	ea

LV Power Distribution - Industrial Plugs & Sockets

ABB Inlet Surface / Wall Mount IP44 (Male)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216EBS6C	ABB Inlet IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea

ABB Inlet Surface / Wall Mount IP67 (Male)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216EBS6W	ABB Inlet IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
232EBS6W	ABB Inlet IP67 6H 3P 32A 230V	IP67	2P+E	5P	32A	230V	ea
463BS6W	ABB Surface Inlet IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	4400 /415V	ea

ABB Inlet Panel Mount IP67 (Male)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216EBU6W	ABB Panel Inlet IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
463BU6W	ABB Panel Inlet Straight IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea
4125BU6W	ABB Panel Inlet Straight IP67 6H 5P 125A 5P 415V	IP67	3P+N+E	5P	125A	400/415V	ea

ABB Container Solutions IP67



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
332EC3W	ABB Connector IP67 3H 4P Reefer 32A 380/440V	IP67	3P+E	4P	32A	380/440V	ea
332EP3W	ABB Plugs IP67 3H 4P Reefer 32A 380/440V	IP67	3P+E	4P	32A	380/440V	ea

ABB Socket Panel Mounted IP44 (Angled)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216ERA6	ABB Socket Outlet Ang IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea
232ERA6	ABB Panel Sock Outlet Ang IP44 6H 32A 3P 230V	IP44	2P+E	3P	32A	230V	ea

ABB Socket Panel Mounted IP67 (Angled)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
232ERA6W	ABB Panel Socket Outlet Ang IP67 6H 3P 32A 230V	IP67	2P+E	3P	32A	230V	ea
332ERA6W	ABB Panel Socket Outlet Ang IP67 6H 4P 32A 415V	IP67	3P+E	4P	32A	400/415V	ea
432ERA6W	ABB Panel Socket Outlet Ang IP67 6H 5P 32A 415V	IP67	3P+N+E	5P	32A	400/415V	ea

ABB Socket Panel Mounted IP67 (Straight)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216ER6W	ABB Socket Outlet STR IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
463RU6W	ABB Socket Outlet Panel Str IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea

ABB Socket Surface / Wall Mounted IP44 (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216ERS6	ABB Socket Outlet IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea
232ERT6	ABB Wall Mounted Socket IP44 6H 3P 32A 230V	IP44	2P+E	3P	32A	230V	ea

LV Power Distribution - Industrial Plugs & Sockets

ABB Socket Surface / Wall Mounted IP67 (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216ERS6W	ABB Socket Outlet IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
432ERS6W	ABB Wall Socket Outlet IP67 6H 5P 32A 415V	IP67	3P+N+E	5P	32A	400/415V	ea
463RS6W	ABB Surface Socket Outlet IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea

ABB Switched Socket IP44 (Interlocked) (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216MHS6	ABB Socket Outlet Horiz IP44 6H 3P 16A 230V	IP44	2P+E	3P	16A	230V	ea

ABB Switched Socket IP67 (Interlocked) (Female)



ESC Code	Description	IP Rating	Poles	Pins	Current	Voltage	UOM
216MHS6W	ABB Socket Outlet Horiz IP67 6H 3P 16A 230V	IP67	2P+E	3P	16A	230V	ea
232MHS9W	ABB Socket Outlet Horiz IP67 9H 3P 32A 230V	IP67	2P+E	3P	32A	380/415	ea
432MVS6WH	ABB Socket Outlet IP67 6H 32A 5P 400V	IP67	3P+N+E	5P	32A	400/415V	ea
463MVS6WH	ABB Socket Outlet IP67 6H 5P 63A 415V	IP67	3P+N+E	5P	63A	400/415V	ea

ABB Caravan Supply Adaptor



ESC Code	Description	IP Rating	Pins	Poles	Current	Voltage	UOM
CVSPA10A	Elmark 1.2M Caravan Supply Adaptor w/10A MCB	(Indoor)	2P+E	3P	16A	230V	ea

ABB Plug & Connector Supply Lead



ESC Code	Description	IP Rating	Pins	Poles	Current	Voltage	UOM
CVL10M16	Elmark IP44 10M Plug & Connector Supply Lead (comes complete with Cable Strain Relief)	IP44	2P+E	3P	16A	230V	ea
CVL15M16	Elmark IP44 15M Plug & Connector Supply Lead (comes complete with Cable Strain Relief)	IP44	2P+E	3P	16A	230V	ea
CVL20M16	Elmark IP44 20M Plug & Connector Supply Lead (comes complete with Cable Strain Relief)	IP44	2P+E	3P	16A	230V	ea
CVL30M16	Elmark IP44 30M Plug & Connector Supply Lead (comes complete with Cable Strain Relief)	IP44	2P+E	3P	16A	230V	ea
ELDOGBONE	Elmark Rubber Dogbone Cable Strain Relief						

ABB Caravan Supply Kits



ESC Code	Description	IP Rating	Pins	Poles	Current	Voltage	UOM
CVKIT44	IP44 Caravan Kit - Plug, Connector, Inlet	IP44	2P+E	3P	16A	230V	ea
CVKIT67	IP67 Caravan Kit - Plug, Connector, Inlet	IP67	2P+E	3P	16A	230V	ea

LV Power Distribution - Industrial Plugs & Sockets

ABB Industrial Plugs & Sockets Accessories



ESC Code	Description	Pins
GP216	ABB Plug & Inlet Protective cover, 16A, 3P	3P
GP316	ABB Plug & Inlet Protective cover, 16A, 4P	4P
GP416	ABB Plug & Inlet Protective cover, 16A, 5P	5P
GP232/332	ABB Plug & Inlet Protective cover, 32A, 3P and 4P	3P, 4P
GP432	ABB Plug & Inlet Protective cover, 32A, 5P	5P
GP63	ABB Plug & Inlet Protective cover 63A, 3P,4P & 5P	3P, 4P, 5P
GP125	ABB Plug & Inlet Protective cover,125A 3P,4P & 5P	3P, 4P, 5P
CLF16-125	ABB Plugblocker for Plugs & Inlets, 16-125A	3P, 4P, 5P



The Gemini series ensures maximum protection in the toughest environments

- Ideal for control panels and distribution boards in harsh environments such as food industry washdown areas
- Provides the strength of glass reinforced polyester without the environmental and personal risk
- Lightweight
- Strong

The Gemini range is revolutionising the market of low voltage electrical insulating switchboards as it is the first switchboard made of thermoplastic material, to which the co-injection moulding technique gives the same mechanical characteristics as polyester.

Extremely sturdy, with its rigid covering and expanded internal core Gemini switchboards are IP66, IP30 with the door open, afford a very high resistance to chemical and atmospheric agents and guarantees excellent performance even in severe operating conditions.

In distribution and mixed applications, the Gemini switchboard is designed to be fitted with System pro M modular devices and Tmax moulded-case circuit breakers. Gemini switchboards are designed to be compatible with ABB components for low voltage control, protection, monitoring and switching.

Technical Characteristics	
Rated Service Voltage	CEI EN 50298, CEI 23-48, CEI23-49
	IEC 60670, CEI EN 60439-1, CEI EN 62208
	IEC61439-1-2
Compliance with standards	Ue 1000 V AC - 1500V DC
Operating Temperature °C	-25°C + 100°C
Resistance to Abnormal Heat and Fire	up to 750°C
Degree of Resistance to Impacts	IK10 (IEC 62262)
Degree Protection (CEI EN 60529)	IP30 Open Door
	IP66 Closed Door
Recyclable	100%




ABB is the first manufacturer in the electrical field to use coinjection moulding technique. This process is a 'sandwich' of two materials with a compact external covering and an expanded core, guaranteeing the highest level of mechanical protection against impacts (IK10).

IP66 SWITCHBOARD SOLUTION (Gemini Enclosure + Gemini Kit)

GEMINI1BF + GEMINI1KIT12W

Size 1 Dimensions


No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
24 (12x2)	2	400	335	210	300	250	180



GEMINI2BF + GEMINI2KIT36W

Size 2 Dimensions


No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
54 (18x3)	3	550	460	260	450	375	230



GEMINI3BF + GEMINI3KIT54W

Size 3 Dimensions


No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
72 (18x4)	4	700	460	260	600	375	230



GEMINI4BF + GEMINI4KIT72W

Size 4 Dimensions


No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
96 (18x4)	4	700	460	260	600	500	230



GEMINI5BF + GEMINI5KIT96W

Size 5 Dimensions

No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
120 (24x5)	5	855	590	360	750	500	330



GEMINI6BF + GEMINI6KIT180W

Size 6 Dimensions

No. of installable DIN modules	No. of vertical mod	External Dimensions			Internal Dimensions		
(mod.x row)	(H=150mm)	A	B	C	D	E	F
216 (36x6)	6	1005	840	360	900	750	330




ABB Gemini Enclosure IP66 (Size 1)**GEMINI1BF includes:**

1	Gemini Size 1 Box (400x335x210)
1	Gemini Size 1 Blank Door
1	Gemini Size 1 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 1)****GEMINI1KIT12W includes:**

1	Gemini Support Upright Size 1
1	Gemini Panel With Holes H150 Size 1
1	Gemini Modular Plate H150 Size 1
1	Gemini Blank Panel H150 Size 1
1	Gemini Wiring Duct Kit 40X60 Size 1
1	Gemini 12 Way Din Rail Size 1

**ABB Gemini Enclosure IP66 (Size 2)****GEMINI2BF includes:**

1	Gemini Size 2 Box (550x460x260)
1	Gemini Size 2 Blank Door
1	Gemini Size 2 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 2)****GEMINI2KIT36W includes:**

1	Gemini Support Upright Size 2
2	Gemini Panel With Holes H150 & DIN Size 2-3
1	Gemini Modular Plate H150 Size 2-3
1	Gemini Blank Panel H150 Size 2-3
2	Gemini Wiring Duct Kit 40X60 Size 2-3
2	Gemini 18 Way Din Rail Size 2

**ABB Gemini Enclosure IP66 (Size 3)****GEMINI3BF**

1	Gemini Size 3 Box (700x460x260)
1	Gemini Size 3 Blank Door
1	Gemini Size 3 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 3)****GEMINI4KIT72W**

1	Gemini Support Upright Size 3 & 4
3	Gemini Panel With Holes H150 & DIN Size 2-3
1	Gemini Modular Plate H150 Size 2 - 3
1	Gemini Blank Panel H150 Size 2 - 3
3	Gemini Wiring Duct Kit 40X60 Size 2 - 3
3	Gemini 18 Way Din Rail Size 3

**ABB Gemini Enclosure IP66 (Size 4)****GEMINI4BF**

1	Gemini Size 4 Box (700x590x260)
1	Gemini Size 4 Blank Door
1	Gemini Size 4 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 4)****GEMINI4KIT72W**

1	Gemini Support Upright Size 3 & 4
3	Gemini Panel With Holes H150 & DIN Size 4 - 5
1	Gemini Modular Plate H150 Size 4 - 5
1	Gemini Blank Panel H150 Size 4 - 5
3	Gemini Wiring Duct Kit 40X60 Size 4 - 5
3	Gemini 24 Way Din Rail Size 4

**ABB Gemini Enclosure IP66 (Size 5)****GEMINI5BF**

1	Gemini Size 5 Box (855x590x360)
1	Gemini Size 5 Blank Door
1	Gemini Size 5 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 5)****GEMINI5KIT96W**

1	Gemini Support Upright Size 5
4	Gemini Panel With Holes H150 & DIN Size 4 - 5
1	Gemini Modular Plate H150 Size 4 - 5
1	Gemini Blank Panel H150 Size 4 - 5
4	Gemini Wiring Duct Kit 40X60 Size 4 - 5
4	Gemini 24 Way Din Rail Size 5

**ABB Gemini Enclosure IP66 (Size 6)****GEMINI6BF**

1	Gemini Size 6 Box (1005x840x360)
1	Gemini Size 6 Blank Door
1	Gemini Size 6 Formica Base Plate
1	Wall Mounting Brackets (Set of 4)
1	Base Plate Fixing Screws (Set of 4)

**ABB Gemini DB Kit IP66 (Size 6)****GEMINI6KIT180W**

1	Gemini Support Upright Size 6
5	Gemini Panel With Holes H150 & DIN Size 6
1	Gemini Modular Plate H150 Size 6
1	Gemini Blank Panel H150 Size 6
5	Gemini Wiring Duct Kit 40X60 Size 6
5	Gemini 36 Way Din Rail Size 6



LV Power Distribution - Enclosures

ABB Thermoplastic Enclosures IP65 (For Indoor Use)



ESC Code	Cover	External Dimensions H x W x D (mm)	Internal Dimensions H x W x D (mm)	Lid Screw Type	UOM
LE00846	Opaque	113 x 113 x 67	100 x 100 x 50	Stainless	ea
LE00850	Opaque	114 x 79 x 67	105 x 70 x 50	Stainless	ea
LE00851	Opaque	113 x 113 x 87	100 x 100 x 66	Stainless	ea
LE00852	Opaque	162 x 120 x 73	153 x 110 x 66	Stainless	ea
LE00854	Opaque	170x 145 x 87	160 x 135 x 77	¼ turn plastic	ea
LE00856	Opaque	231 x 181 x 89	220 x 170 x 80	¼ turn plastic	ea
LE00858	Opaque	323 x 251 x 117	310 x 240 x 110	¼ turn plastic	ea
LE00860	Opaque	170 x 145 x 156	160 x 135 x 150	¼ turn plastic	ea
LE00862	Opaque	231 x 181 x 160	220 x 170 x 150	¼ turn plastic	ea
LE00864	Opaque	323 x 251 x 170	310 x 240 x 160	¼ turn plastic	ea
LE00884	Clear	323 x 251 x 170	310 x 240 x 160	¼ turn plastic	ea

ABB Polycarbonate Enclosures IP65 (For Indoor / Outdoor Use)



ESC Code	Cover	External Dimensions H x W x D (mm)	UOM
LE12808	Opaque	205 x 220 x 140	ea
LE12812	Opaque	275 x 220 x 140	ea
LE12818	Opaque	380 x 570 x 140	ea

ABB Switch Disconnecter



ESC Code	Description	UOM
OT125F3	OT 125A 3P Switch Disconnecter	ea
OT16F3	OT 16A 3P Switch Disconnecter	ea
OT25F3	OT 25A 3P Switch Disconnecter	ea
OT40F3	OT 40A 3P Switch Disconnecter	ea
OT63F3	OT 63A 3P Switch Disconnecter	ea
OT80F3	OT 80A 3P Switch Disconnecter	ea
OT160G03P	OT 160A 3P Switch Disconnecter c/w Handle and Shaft	ea
OT250E03P	OT 250A 3P Switch Disconnecter c/w Handle and Shaft	ea

ABB Handles



ESC Code	Description	UOM
OHBS2AJ	Handle Selector Type Black DIN Mount	ea
OHYS2AJ	Handle Selector Type Yellow DIN Mount	ea
OHBS2RJ	Handle Selector Type Black Door Mount	ea
OHYS2RJ	Handle Selector Type Yellow /Red Door Mount	ea
OHB65J6	Handle Pistol Type Black DIN Mount 65 x 6mm	ea
OHY65J6	Handle Pistol Type Red-yellow DIN Mount 65 x 6mm	ea

LV Power Distribution - OT Switch Disconnectors

ABB Shaft

	ESC Code	Description	UOM
	OSP6X265	Shaft for Pistol Type Handle 6 x 265mm	ea
	OSP6X430	Shaft for Pistol Type 430 x 6mm	ea
	OSX6X250	Shaft for Selector Handle 250 x 6mm	ea
	OSX6X330	ABB Shaft for Selector Handle 330 x 6mm	ea

ABB Disconnectors Accessories

	ESC Code	Description	UOM
	OA1G10	Aux Contact 1N/O Right Side Mount	ea
	OA2G11	Aux Contact 1N/O +N/C Either Side Mount	ea

ABB Motor Starters



ESC Code	Description	UOM
MS11604	Man Motor Starter 0.25-0.4A	ea
MS116063	Man Motor Starter 0.4-0.63A	ea
MS1161	Man Motor Starter 0.63-1.0A	ea
MS1161.6	Man Motor Starter 1.0-1.6A	ea
MS11610	Man Motor Starter 6.3-10A	ea
MS11612	Man Motor Starter 8-12A	ea
MS11616	Man Motor Starter 10-16A	ea
MS1162.5	Man Motor Starter 1.6-2.5A	ea
MS11620	Man Motor Starter 16-20A	ea
MS11625	Man Motor Starter 20-25A	ea
MS11632	Man Motor Starter 25-32A	ea
MS1164	Man Motor Starter 2.5-4.0A	ea
MS11663	Man Motor Starter 4.0-6.3A	ea
MS132063	Manual Motor Starter 0.4-0.63A	ea
MS1321.0	Manual Motor Starter 0.63-1A	ea
MS1321.6	Manual Motor Starter 1-1.6A	ea
MS13210	Manual Motor Starter 6.3-10A	ea
MS13216	Manual Motor Starter 10-16A	ea
MS1322.5	Manual Motor Starter 1.6-2.5A	ea
MS13220	Manual Motor Starter 16-20A	ea
MS13225	Manual Motor Starter 20-25A	ea
MS13232	Manual Motor Starter 25-32A	ea
MS13240	Manual Motor Starter 2.5-4.0A	ea
MS13263	Manual Motor Starter 4-6.3A	ea

ABB Driver



ESC Code	Description	UOM
MSMNO	ABB Driver w/o coding w.screw for manual motor starters	ea

ABB Motor Starter Enclosure



ESC Code	Description	UOM
IB132G	MS116/132 IP65 Enclosure Grey/Black	ea

ABB Connect Link



ESC Code	Description	UOM
BEA164	ABB Connect Link MS116/MS132 (0.16-24A) to AF09-AF16	ea
BEA264	ABB Connect Link MS116/MS132 (0.16-10A) to AF26-38	ea
BEA384	ABB Connect Link MS116/MS132 (12-32A) to AF26-AF38	ea

ABB Aux Contact for Motor Starters




ESC Code	Description	UOM
HK111	Aux Contact 1NO/1NC Right Mnt	ea
HKF111	Aux Contact 1NO/1NC Front Mnt	ea

Modular range Mounting


Contact block

Single pole with making or breaking contact.




Holder

Available either for three or five blocks in one single row. Additional blocks can be stacked on holder for three blocks.




Locking nut




Legend plates

Aluminum construction with guided slots for proper alignment of the legend plate and operator.



Operator

Buttons, lenses and handles in several colors. Illuminated or non-illuminated.



LED/lamp block

Illuminated pushbuttons, illuminated selector switches and pilot lights have a lamp block in the center position of the holder.

Round or notched holes

Same actuator can be used in notched holes as well as in round holes.


Legend plate holder

Black plastic plate holder with brushed aluminum insert.


Bezels

Pushbuttons, selector switches and toggle switches with bezel available in black plastic, chrome plastic or chrome metal.


Easy to install*




The operator is to be inserted from the front...



...and secured at the back with the nut.





The contact blocks/lamp block are then snapped on to the holder...



...and the holder snaps on to the operator.

...and to remove



Press the spring down on the holder and pull the holder from the actuator.

* Install on de-energized system.

Modular range Contact block combinations

Pushbuttons and mushrooms



Double pushbuttons



Emergency stops



Selector switches



Toggles



Pilot lights



Joysticks



LV Power Distribution - Push Buttons / Pilot Devices

Compact Range - Push Buttons



ESC Code	Description	Colour	UOM
CP1-10L-11	Blue push button, Black plastic Bezel	Blue	ea
CP1-10G-10	Green push button, Black plastic Bezel	Green	ea
CP1-10R-10	Red push button, Black plastic Bezel	Red	ea

Compact Range - Push Buttons Maintained



ESC Code	Description	Colour	UOM
CP210L11	Push Button, Maintained, Black Plastic Bezel	Blue	ea
CP210G10	Push Button, Maintained, Black Plastic Bezel	Green	ea
CP210R10	Push Button, Maintained, Black Plastic Bezel	Red	ea

Compact Range - Emergency Stops



ESC Code	Description	UOM
CPM310R11	Red Mushroom 1 N/O	ea
CE4T10R11	Estop Twist Release 1 N/O, 1 N/C	ea
CE4K110R11	Estop Key Release 1 N/O, 1 N/C	ea

Compact Range - Selector Switches



ESC Code	Description	UOM
C2SS210B10	Selector Switch, 2 Pos, Maintained	ea
C2SS310B10	Selector Switch, 2 Pos, Impulse	ea
C3SS110B11	Selector Switch, 3 Pos, Maintained	ea
C3SS210B11	Selector Switch, 3 Pos, Impulse	ea

Compact Range - Pilot Lights



ESC Code	Description	Colour	UOM
CL2502L	LED Pilot Light 24vac/dc	Blue	ea
CL2502G	LED Pilot Light 24vac/dc	Green	ea
CL2502R	LED Pilot Light 24vac/dc	Red	ea
CL2502Y	LED Pilot Light 24vac/dc	Yellow	ea
CL2523L	LED Pilot Light 240vac	Blue	ea
CL2523G	LED Pilot Light 240vac	Green	ea
CL2523R	LED Pilot Light 240vac	Red	ea
CL2523Y	LED Pilot Light 240vac	Yellow	ea

Compact / Modular Range - Enclosures



ESC Code	Description	Colour	UOM
MEPY10	PB Enclosure, Single hole, Yellow	Yellow	ea
MEP10	PB Enclosure, Single hole, Grey	Grey	ea
MEP20	PB Enclosure, Double hole, Grey	Grey	ea
MEP30	PB Enclosure, Triple hole, Grey	Grey	ea

LV Power Distribution - Push Buttons / Pilot Devices

Modular Range - Push Buttons



ESC Code	Description	Colour	UOM
MP110L	Pushbutton Operator, Black Plastic Bezel	Blue	ea
MP110G	Pushbutton Operator, Black Plastic Bezel	Green	ea
MP110R	Pushbutton Operator, Black Plastic Bezel	Red	ea

Modular Range - Push Buttons Maintained



ESC Code	Description	Colour	UOM
MP210L	Pushbutton Operator, Maintained, Black Plastic Bezel	Blue	ea
MP210G	Pushbutton Operator, Maintained, Black Plastic Bezel	Green	ea
MP210R	Pushbutton Operator, Maintained, Black Plastic Bezel	Red	ea

Modular Range - Emergency Stops



ESC Code	Description	UOM
MPM110R	Red Mushroom Operator	ea
MPET410R	Estop Twist release Operator	ea
MPEK311R	Estop Key release Operator	ea

Modular Range - Selector Switches



ESC Code	Description	UOM
M2SS210R	Selector Switch Operator, 2 Pos, Maintained	ea
M2SS310B	Selector Switch Operator, 2 Pos, Impulse	ea
M3SS110B	Selector Switch Operator, 3 Pos, Maintained	ea
M3SS210B	Selector Switch Operator, 3 Pos, Impulse	ea

Modular Range - Contact Blocks



ESC Code	Description	UOM
MCB01	Contact Block N/C	ea
MCB10	Contact Block N/O	ea
MCB20	Contact Block 2N/O	ea
MCBH00	Hold Bracket (1-3 Blocks)	ea
MCBH500	ABB Contact Block Holder - 5 Blocks	ea

Modular Range - Pilot Lights



ESC Code	Description	Colour	UOM
ML1100L	LED Pilot Light Blue	Blue	ea
ML1100G	LED Pilot Light Green	Green	ea
ML1100R	LED Pilot Light Red	Red	ea
ML1100Y	LED Pilot Light Yellow	Yellow	ea

Modular Range - Reset Button



ESC Code	Description	UOM
KPR3101L	Blue Reset	ea

LV Power Distribution - Push Buttons / Pilot Devices

Modular Range - Multi-Voltage Lamp Blocks



ESC Code	Description	Colour	UOM
MLBL01W	ABB Lamp Block 24v AC/DC LED	White	ea
MLBL01L	Led 24v AC/DC Blue	Blue	ea
MLBL01G	Led 24v AC/DC Green	Green	ea
MLBL01R	Led 24v AC/DC Red	Red	ea
MLBL01Y	Led 24v AC/DC Yellow	Yellow	ea

Modular Range - Lamp Blocks



ESC Code	Description	Colour	UOM
MLBL07L	LED 240v AC	Blue	ea
MLBL07G	LED 240v AC	Green	ea
MLBL07R	LED 240v AC	Red	ea
MLBL07Y	LED 240v AC	Yellow	ea

ABB Terminals



ESC Code	Description	UOM
ZS10	ABB Terminal 10mm ² 57A Grey	ea
ZS16	ABB Terminal 16mm ² 76A Grey	ea
ZS4	ABB Terminal 4mm ² 32A Grey	ea
ZS4PE	ABB Terminal 4mm ² 32A Earth	ea
ZS4S	ABB Terminal 4mm ² 32A Grey Disconnect	ea
ZS4SF1	ABB Terminal 4mm ² Grey Fused 8mm W	ea
ZS6	ABB Terminal 6mm ² 41A Grey	ea

ABB End Stop



ESC Code	Description	UOM
BAM4	ABB BAM4 End Stop - Dark Grey	ea

ABB End Section



ESC Code	Description	UOM
ES4	ABB End Section Grey for ZS 4..16	ea
ES4SF	ABB End Section Grey for ZS4SF1	ea

ABB Jumper Link



ESC Code	Description	UOM
JB510	ABB Jumper Link 10P for ZS4 5mm	ea
JB610	ABB Jumper Link 10P, 6mmW, t-s ZS	ea

LV Power Distribution - Contactors

ABB AF Contactor (4kW)



ESC Code	Description	UOM
AF09301011	AF Contactor 4kW 3P+1NO 24-60v AC/DC	ea
AF09301013	AF Contactor 4kW 3P+1NO 100-250v AC/DC	ea
AF09301014	AF Contactor 4kW 3P+1NO 250-500v AC/DC	ea
AF09Z301021	AF Contactor 4kW 3P+1NO 20-60v DC	ea

ABB AF Contactor (5.5kW)



ESC Code	Description	UOM
AF12301011	AF Contactor 5.5kW 3P+1N/O 24-60v AC/DC	ea
AF12301013	AF Contactor 5.5kW 3P 1NO 100-250v AC/DC	ea
AF12301014	AF Contactor 5.5kW 3P 1NO 250-500v AC/DC	ea
AF12Z301021	AF Contactor 5.5kW 3P+1NO 20-60v DC	ea

ABB AF Contactor (7.5kW)



ESC Code	Description	UOM
AF16301011	AF Contactor 7.5kW 3P+1NO 24-60v AC/DC	ea
AF16301013	AF Contactor 7.5kW 3P+1NO 100-250v AC/DC	ea
AF16301014	AF Contactor 7.5kW 3P+1NO 250-500v AC/DC	ea

ABB AF Contactor (11kW)



ESC Code	Description	UOM
AF26300011	AF Contactor 11kW 3P 24-60v AC/DC	ea
AF26300013	AF Contactor 11kW 3P 100-250v AC/DC	ea
AF26300014	AF Contactor 11kW 3P 250-500v AC/DC	ea
AF26Z300021	AF Contactor 11kW 3P 20-60v DC	ea

ABB AF Contactor (15kW)



ESC Code	Description	UOM
AF30300011	AF Contactor 15kW 3P 20-60v AC/DC	ea
AF30300013	AF Contactor 15kW 3P 100-250V AC/DC	ea
AF30300014	AF Contactor 15kW 3P 250-500v AC/DC	ea

ABB AF Contactor (18.5kW)



ESC Code	Description	UOM
AF38300011	AF Contactor 18.5kW 3P 20-60V AC/DC	ea
AF38300013	AF Contactor 18.5kW 3P 100-250V AC/DC	ea
AF38300014	AF Contactor 18.5kW 3P 250-500v AC/DC	ea

ABB AF Contactor (22kW)



ESC Code	Description	UOM
AF52300011	AF Contactor 22kW 3P 20-60 v AC/DC	ea
AF52300013	AF Contactor 22kW 3P 100-250v AC/DC	ea
AF52300014	AF Contactor 22kW 3P 250-500v AC/DC	ea

ABB AF Contactor (30kW)



ESC Code	Description	UOM
AF65300011	AF Contactor 30kW 3P 20-60v AC/DC	ea
AF65300013	AF Contactor 30kW 3P 100-250v AC/DC	ea
AF65300014	AF Contactor 30kW 3P 250-500v AC/DC	ea

ABB AF Contactor (45kW)



ESC Code	Description	UOM
AF80300011	AF Contactor 45kW 3P 20-60v AC/DC	ea
AF80300013	AF Contactor 45kW 3P 100-250v AC/DC	ea

ABB AF Contactor (55kW)



ESC Code	Description	UOM
AF96300011	AF Contactor 55kW 3P 20-60v AC/DC	ea
AF96300013	AF Contactor 55kW 3P 100-250v AC/DC	ea
AF96300014	AF Contactor 55kW 3P 250-500v AC/DC	ea

ABB Aux Contact



ESC Code	Description	UOM
CA401	ABB Aux Contact 1NC Front Mount for AF09-AF96	ea
CA410	ABB Aux Contact 1NO Front Mount for AF09-AF96	ea
CA422E	ABB Aux Contact 2NO/2NC Front Mount for AF26-AF96	ea
CA422M	ABB Aux Contact 2NO/2NC Front Mount for AF09-AF16	ea
CAL1911	ABB Aux Contact 1NO/1NC Side Mount for AF116-AF370	ea
CAL411	ABB Aux Contact 1NO/1NC Side Mount for AF09-AF96	ea
CAT411E	ABB Aux Contact 1NO/1NC Top Mount for AF26-AF65	ea

ABB Mechanical & Electrical Interlock (Contactors)



ESC Code	Description	UOM
VEM4	ABB Mechanical & Electrical Interlock for AF09-AF38	ea
VM964	Mechanical Interlock Unit ts AF40-AF96	ea

LV Power Distribution - Overload

ABB Thermal Overload (Type TF4)



ESC Code	Description	UOM
TF42074	Thermal Overload 0.55-0.74 A	ea
TF421.3	Thermal Overload 1.0 - 1.3 A	ea
TF4210	Thermal Overload 7.6 - 10 A	ea
TF4213	Thermal Overload 10 - 13 A	ea
TF4216	Thermal Overload 13 - 16 A	ea
TF4217	Thermal Overload 1.3 - 1.7 A	ea
TF4220	Thermal Overload 16 - 20 A	ea
TF4223	Thermal Overload 1.7 - 2.3 A	ea
TF4224	Thermal Overload 20 - 24 A	ea
TF4229	Thermal Overload 24 - 29 A	ea
TF4231	Thermal Overload 2.3 - 3.1 A	ea
TF4235	Thermal Overload 29 - 35 A	ea
TF4238	Thermal Overload 35 - 38 A	ea
TF4242	Thermal Overload 3.1 - 4.2 A	ea
TF4257	Thermal Overload 4.2 - 5.7 A	ea
TF4276	Thermal Overload 5.7 - 7.6 A	ea

ABB Thermal Overload (Type TF6)



ESC Code	Description	UOM
TF6528	Thermal Overload 22.0 - 28.0 A	ea
TF6533	Thermal Overload 25.0 - 33.0 A	ea
TF6547	Thermal Overload 36.0 - 47.0 A	ea
TF6553	Thermal Overload 44.0 - 53.0 A	ea
TF6567	Thermal Overload 57.0 - 67.0 A	ea

ABB Connection Set



ESC Code	Description	UOM
BER384	ABB Connection Set for Reversing Contactors AF26-AF38	ea

ABB Direct - on - line Starter



ESC Code	Description	UOM
DRAF0913N	ABB Enclosed DOL Starter 4kW 100-250v AC/DC IP67	ea
DRAF0914P	ABB Enclosed DOL Starter 4kW 250-500v AC/DC IP67	ea
DRAF1213N	ABB Enclosed DOL Starter 5.5kW 100-250v AC/DC IP67	ea
DRAF1214P	ABB Enclosed DOL Starter 5.5kW 250-500v AC/DC IP67	ea
DRAF1613N	ABB Enclosed DOL Starter 7kW 100-250v AC/DC IP67	ea
DRAF1614P	ABB Enclosed DOL Starter 9kW 250-500v AC/DC IP67	ea

ABB PSR Softstarters



ESC Code	Description	UOM
PSR360070	ABB PSR Softstarter 1.5kW 3.4A	ea
PSR960070	ABB PSR Softstarter 4kW 9.0A	ea
PSR1660070	ABB PSR Softstarter 7.5kW 15.2A	ea
PSR3060070	ABB PSR Softstarter 15kW 28A	ea
PSR4560070	ABB PSR Softstarter 22kW 46.2A	ea

ABB PSE Softstarters



ESC Code	Description	UOM
PSE2560070	ABB PSE Softstarter 11kW 25A	ea
PSE6060070	ABB PSE Softstarter 30kW 60A	ea
PSE8560070	ABB PSE Softstarter 45kW 80A	ea

ABB PSTX Softstarters



ESC Code	Description	UOM
PSTX4560070	ABB PSTX Softstarter 22kW 42A	ea
PSTX7260070	ABB PSTX Softstarter 37kW 68A	ea
PSTX10560070	ABB PSTX Softstarter 55kW 104A	ea

ABB Drives (Type ACS150)



ESC Code	Description	UOM
ACS15003E01A94	ABB ACS150 400V 1.9A 0.55kW IP20 VSD	ea
ACS15003E03A34	ABB ACS150 400V 3.3A 1.1kW IP20 VSD	ea
ACS15003E05A64	ABB ACS150 400V 5.6A 2.2kW IP20 VSD	ea
ACS15003E08A84	ABB ACS150 400V 8.8A 4.0kW IP20 VSD	ea

ABB Drives (Type ACS480)



ESC Code	Description	UOM
ACS4800403A44	ABB ACS480 400V 3.3A 1.1kW IP20 VSD	ea
ACS4800405A74	ABB ACS480 400V 5.6A 2.2kW IP20 VSD	ea
ACS4800409A54	ABB ACS480 400V 9.4A 4.0kW IP20 VSD	ea
ACS48004018A4	ABB ACS480 400V 17A 7.5kW IP20 VSD	ea
ACS48004026A4	ABB ACS480 400V 25A 11kW IP20 VSD	ea
ACS48004033A4	ABB ACS480 400V 32A 15kW IP20 VSD	ea
ACS48004039A4	ABB ACS480 400V 38A 18.5kW IP20 VSD	ea
ACS48004046A4	ABB ACS480 400V 45A 22kW IP20 VSD	ea

ABB Keypad



ESC Code	Description	UOM
ACSA PW	ACS 480 keypad with blue tooth connectivity	ea

ABB Ethernet / IP adapter Module



ESC Code	Description	UOM
FEIP-21	Ethernet/IP adapter module	ea

LV Power Distribution

ABB S91 Circuit Breakers



ESC Code	Description	UOM
S91C06	6A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C10	10A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C16	16A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C20	20A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C25	25A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C32	32A 3kA Plug-in MCB Miniature Circuit Breaker	ea
S91C40	40A 3kA Plug-in MCB Miniature Circuit Breaker	ea

Safety Base Back Entry (Accessories)



ESC Code	Description	UOM
NZI631779	Safety Base Back Entry Grey 6-40A Flame Resistant	ea

Fuse Pole Cover



ESC Code	Description	UOM
NZI620963	Pole Cover Without Door 1way D2	ea
NZI620971	Pole Cover Without Door 2way D2	ea
NZI620998	Pole Cover Without Door 4way D2	ea
NZI621005	Pole Cover Without Door 6way D2	ea
NZI621013	Pole Cover Without Door 8way D2	ea

Elmark RCBO



ESC Code	Description	UOM
ELMKRCBO0630	Elmark RCBO 1P plus N C Curve 6A 30mA 6KA A Type	ea
ELMKRCBO1030	Elmark RCBO 1P plus N C Curve 10A 30mA 6KA A Type	ea
ELMKRCBO1630	Elmark RCBO 1P plus N C Curve 16A 30mA 6KA A Type	ea
ELMKRCBO2030	Elmark RCBO 1P plus N C Curve 20A 30mA 6KA A Type	ea
ELMKRCBO2530	Elmark RCBO 1P plus N C Curve 25A 30mA 6KA A Type	ea
ELMKRCBO3230	Elmark RCBO 1P plus N C Curve 32A 30mA 6KA A Type	ea

ABB Power Supply



ESC Code	Description	UOM
CPE2425	ABB Power Supply 24VDC 2.5 A	ea
CPE245	ABB Power Supply 24VDC 5A	ea

ABB Pluggable Interface Relay (Contactors)



ESC Code	Description	UOM
CRM024DC4L	Pluggable Interface Relay 24VDC 4C/O 6A with LED	ea
CRM230AC4L	Pluggable Interface Relay 240VAC 4C/O 6A	ea

ABB Relay Socket (Contactors)



ESC Code	Description	UOM
CRM3LS	Relay Socket CRM 3 C/O	ea
CRM4LS	Relay Socket CRM 2 & 4 C/O Logical	ea
CRMH	CR-MH Holder for CR-M socket	ea

WHY ELECTRICAL SUPPLY CORP?

Electrical Supply Corp (ESC) are market leaders in a wide range of products for tradesmen. ESC's market focus is primarily based around servicing and supporting electrical and plumbing wholesalers that extends support through selected OEMs, auto-electrical wholesalers and specific industrial companies.

Located in Te Rapa, Hamilton, ESC is in a central location, which makes it possible to offer nationwide overnight* deliveries.

The administration and main distribution centre, are incorporated in a purpose built 7,600 square meters warehouse that provides room to handle its ever expanding portfolio.

Electrical Supply Corp employs over 40 full time and part time staff, comprising of business development managers, product technical specialists and wholesale representatives located regionally throughout New Zealand to best service their customers network.

Disclaimer of liability: Whilst we endeavour to keep the information up to date and correct, ESC makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability or availability with respect to the catalogue or the information, products, services or related graphics contained in the catalogue for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

**Some limitations apply for overnight delivery*





4-8 Mainstreet Place
Te Rapa, Hamilton, 3200
www.electrical.co.nz

sales@electrical.co.nz
+64 7 849 9119
0800 350 000

2021 ©