

PRODUCT-DETAILS

# 332EC3W

## Industrial Connectors, 3P+E, 32A, 380/440 V



### General Information

Extended Product Type	332EC3W
Product ID	2CMA101147R1000
EAN	7392696011471
Catalog Description	Industrial Connectors, 3P+E, 32A, 380/440 V
Long Description	Industrial Connectors, 3P+E, 32A, 380/440 V Clock Position Of Grounding Contact 3 hour Color code Red

### Ordering

EAN	7392696011471
Country of Origin	Czech Republic (CZ)
Minimum Order Quantity	10 piece

### Dimensions

Product Net Width	98 mm
Product Net Height	98 mm
Product Net Length	195 mm
Product Net Depth / Length	195 mm

Product Net Weight	0.30 kg
--------------------	---------

### Container Information

Package Level 1 Width	390 mm
Package Level 1 Depth / Length	175 mm
Package Level 1 Height	195 mm
Package Level 1 Gross Weight	3 kg
Package Level 1 EAN	7392696016858
Package Level 1 Units	box 10 piece

### Technical UL/CSA

Ampere Rating UL/CSA	32 A
Tightening Torque UL/CSA	10.6 in-lb

### Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CMC700005D0001
Declaration	2CMC700005D0001
Environmental Information	2CMC000056M0000
RoHS Information	2CMC700005D0001
SEMKO Certificate	1620515
REACH Declaration	2CMC700005D0001

### Additional Information

Additional Information	3P+E
Ambient Temperature	-25 ... 40 °C
Cable Cross-Section	2.5 ... 6 mm <sup>2</sup>
Cable Diameter	22 mm
Cable Entry Position	Swivel
Color	Red
Connection Type	Screw
Degree of Protection	IP67
Enclosure Material	Plastic (PA)
Frequency (f)	50/60 Hz
Function	Connector
Housing Material	Plastic (PA)
Invoice Description	Ind. P&S#332EC3W
Material	Plastic
Number of Poles	4
Order Multiple	10 piece
Product Main Type	EC

Product Name	Industrial Connector
Protection Type	Watertight
Rated Current ( $I_n$ )	32 A
Rated Voltage ( $U_r$ )	380/440 V
Recommended Screw Driver	PH2
Standards	IEC 60309-1, -2
Suitable for Product Class	IEC Industrial Plugs and Sockets
Instructions and Manuals	2CMC700014C0016
RAL Number	RAL 7012 - Basalt Grey

---

## Classifications

eClass	27440509
UNSPSC	39120000

---

## Technical

Wire Size	12 ... 10 AWG
Tightening Torque	1.2 N·m

---

## Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Easy & Safe → Connectors

