



## PRODUCT-DETAILS

# TY526MX

## CBL TIE 30LB 11.1PO UV BLACK



### General Information

|                       |                                                                                                                                                                                                                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | TY526MX                                                                                                                                                                                                                                                                                      |
| Product ID            | 7TAG009080R0002                                                                                                                                                                                                                                                                              |
| EAN                   | 5414363065708                                                                                                                                                                                                                                                                                |
| Catalog Description   | CBL TIE 30LB 11.1PO UV BLACK                                                                                                                                                                                                                                                                 |
| Long Description      | Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultra-Violet Resistant for Indoor and Outdoor Applications, Length of 281.94mm (11.1 Inches), Width of 3.6mm (0.14 Inches), Tensile Strength Rating of 133.4 Newtons (30 pounds), 100 |

### Ordering

|                         |                                  |
|-------------------------|----------------------------------|
| EAN                     | 5414363065708                    |
| UPC                     | 786210839363                     |
| Country of Origin       | United States (US)<br>Japan (JP) |
| Customs Tariff Number   | 3926909985                       |
| Selling Unit of Measure | each                             |

### Dimensions

|                               |                   |
|-------------------------------|-------------------|
| Product Net Width             | 0.14 in<br>3.6 mm |
| Product Net Depth /<br>Length | 10.9 in<br>277 mm |

## Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 100 piece         |
| Package Level 1 Width          | 5 in<br>127 mm    |
| Package Level 1 Depth / Length | 14.5 in<br>368 mm |
| Package Level 2 Units          | 500 piece         |
| Package Level 2 Width          | 5.6 in<br>142 mm  |
| Package Level 2 Height         | 5.3 in<br>135 mm  |
| Package Level 2 Depth / Length | 15.4 in<br>391 mm |

## Technical UL/CSA

|                                |     |
|--------------------------------|-----|
| Flammability According to UL94 | V-2 |
|--------------------------------|-----|

## Additional Information

|                   |                                                                                                                                                                                                                      |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand / Label     | Ty-Rap                                                                                                                                                                                                               |
| Bundle Diameter   | 0.08 to 2.99 in<br>2 to 76 mm                                                                                                                                                                                        |
| Color             | Black                                                                                                                                                                                                                |
| Effective Date    | 19720803                                                                                                                                                                                                             |
| Lock Type         | Stainless Steel Barb                                                                                                                                                                                                 |
| Product Name      | PLASTIC CABLE TIE                                                                                                                                                                                                    |
| Product Type      | High Performance                                                                                                                                                                                                     |
| Special Functions | Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time. |
| Tensile Strength  | 29 lb<br>130 N                                                                                                                                                                                                       |
| Thickness         | 0.04 in<br>1.0 mm                                                                                                                                                                                                    |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | TDS000566       |
| Declaration of Conformity - CE    | 9AKK107492A9841 |
| Instructions and Manuals          | TY526MX         |
| REACH Declaration                 | 9AKK107992A3994 |
| RoHS Information                  | 9AKK107991A8361 |

## Classifications

|                                    |                           |
|------------------------------------|---------------------------|
| ETIM 6                             | EC000046 - Cable tie      |
| ETIM 7                             | EC000046 - Cable tie      |
| ETIM 8                             | EC000046 - Cable tie      |
| UNSPSC                             | 39121703                  |
| WEEE Category                      | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5034 >> Cable ties        |

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

