

PRODUCT-DETAILS

TY534M

CBL TIE 40LB 6IN NAT NYL MTG HOLE



General Information	
Extended Product Type	TY534M
Product ID	7TAG009520R0064
EAN	5414363066071
Catalog Description	CBL TIE 40LB 6IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 152mm (6 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of

Ordering	
EAN	5414363066071
UPC	786210807003
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.14 in
	3.71 mm
Product Net Depth /	5.94 in
Length	150.98 mm

Container Information	
Package Level 1 Units	100 piece
Package Level 2 Units	500 piece
Package Level 2 Width	6.3 in 160 mm
Package Level 2 Height	4.2 in 107 mm
Package Level 2 Depth / Length	9.9 in 251 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.14 in 2 to 29 mm
Color	Natura
Effective Date	19680112
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.04 in 1 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000577
Instructions and Manuals	TY534M
REACH Declaration	9AKK107992A3998
RoHS Information	9AKK107991A8069

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

TY534M 3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

