

PRODUCT-DETAILS

## **TY537M**

## CBL TIE 120LB 14IN NAT NYL MNTG HOL



General Information	
Extended Product Type	TY537M
Product ID	7TAG009520R0070
EAN	5414363066217
Catalog Description	CBL TIE 120LB 14IN NAT NYL MNTG HOL
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 356mm (14 Inches), Width of 7.6mm (0.3 Inches), Thickness of 2mm (0.08 Inches), Tensile Strength Rating

Ordering	
EAN	5414363066217
UPC	786210805177
Country of Origin	United States (US)
Customs Tariff Number	3926909985
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.301 in
	7.65 mm
Product Net Depth /	14 in
Length	355.6 mm

Container Information	
Package Level 1 Units	50 piece
Package Level 2 Units	500 piece
Package Level 2 Width	7.4 in
	188 mm
Package Level 2 Height	7.6 in
	193 mm
Package Level 2 Depth /	15.1 in
Length	384 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Brand / Label	Ty-Rap
Bundle Diameter	0.236 to 3.54 in 6 to 90 mm
Color	Natura
Effective Date	19680723
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL <b>E4</b> 9405
Tensile Strength	120 lb 534 N
Thickness	0.08 in 2 mm

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TDS000577
Instructions and Manuals	ТҮ537М
REACH Declaration	9AKK107992A3998
RoHS Information	9AKK107991A8069

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

TY537M 3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

