


LEDVALUE TRI COLOUR OYSTER LIGHT RANGE



The LEDVANCE® LEDVALUE Tri-Colour Oyster Light range features a classic ceiling oyster design and allows selection of the light colour temperature at installation or later with the internal tri-colour switch to create the perfect lighting ambience in premium residential or commercial applications. Available in 4 popular sizes.

Product Features & Benefits:

- Classic Ceiling Oyster design
- Tri-Colour slide switch: 3000K, 4000K, 5000K
- Up to 95 Lm/W
- 110 - 120 degree beam angle
- 30,000 hours lifetime @ L70
- Premium quality patented (intellectual property compliant) LED chips
- Mounts directly to ceiling through base plate

Application Areas:

- Residential
- Commercial

General Specifications:


LEDVANCE®		LEDVALUE Tri Colour Oyster Light			
Electrical Data	Wattage	13W	15W	18W	24W
	Voltage range	220 - 240VAC			
	Power factor	0.5			
	Input current (max)	115mA	125mA	145mA	181mA
	Line frequency	50Hz			
	Dimming	No			
	Protection class	Class I			
Optical / Photometric	Rated lumens	1235lm	1425lm	1620lm	2160lm
	Lumen efficacy	95lm/W	95lm/W	90lm/W	90lm/W
	CCT(K)	Switchable: 3000K,4000K,5000K			
	CRI	80			
	Beam Angle	120°	120°	110°	110°
	Rated Lifetime	30,000 hours @ L70			
	Operating Temp.	-20 - +45°C			
	Storage Temp.	-20 - +70°C			
Housing	Material	Steel			
	Lens	PMMA			
	Ingress Protection	IP20			
	Driver	Integrated			

Ordering Codes:


Description	Model	Carton Qty.	EAN10	EAN 40
LDVAL OYSTER TRI 13W 5X1 LEDV	LDV-OYS-13W-250-TRI	5	4058075207509	4058075207516
LDVAL OYSTER TRI 15W 5X1 LEDV	LDV-OYS-15W-300-TRI	5	4058075207523	4058075207530
LDVAL OYSTER TRI 18W 5X1 LEDV	LDV-OYS-18W-350-TRI	5	4058075207547	4058075207554
LDVAL OYSTER TRI 24W 5X1 LEDV	LDV-OYS-24W-400-TRI	5	4058075207561	4058075207578

Drawing / Dimensions:

13W, 15W



18W, 24W



Dimensions (mm)	Diameter	Height	Weight
LDVAL OYSTER TRI 13W 5X1 LEDV	250	88	330g
LDVAL OYSTER TRI 15W 5X1 LEDV	300	105	400g
LDVAL OYSTER TRI 18W 5X1 LEDV	350	110	530g
LDVAL OYSTER TRI 24W 5X1 LEDV	400	120	700g