



# Wide Batten 1500

The Wide Batten 1500 with dual wattage switch for ultimate versatility in one fitting. As a direct replacement for T5 and T8 fluorescent tubes, the wide batten is ideal for either commercial or residential space.



#### **FEATURES AND BENEFITS**

- 40/60W
- Available in 1500x160x62mm
- Dual colour in 3000K and 4000K
- High efficacy up to 100lm/W
- Beam angle 120°
- IP20
- Steel and polycarbonate housing
- Easy install thanks to 6mm terminal block
- Lifetime 50000 hours

#### **AREAS OF APPLICATION**

- · Reception areas and foyers
- Garages
- Corridors, stairways, and entrance areas
- Entrances and hallways
- Retail and hospitality

# **AVAILABLE SIZES**

40/60W 1500x160x62mm


### **SPECIFICATIONS**

Wattage	40/60W
Lumens	4000, 6000
lm/W	100
CCT	3000K/4000K
IP Rating	IP20
IK Rating	IK06
Housing Material	Steel and Polycarbonate
Beam Angle	120°
CRI	>80
Electrical Classification	Class I


Connection Type	Terminal block							
PF	>0.9							
Voltage	220-240V							
Frequency	50/60Hz							
Mounting Type	Surface mounting							
Operating Temperature	-20°C to 40°C							
Lifetime	50000 hours							

### **PHOTOMETRICS**

60W 3000K



# **DIMENSIONS**



40/60W 1500x160x62mm

# **ORDERING CODES - WIDE BATTEN 1500**













Product name	EAN10	W	lm	K	lm/w	[mm]	W [mm]	h [mm]	9

#### **WIDE BATTEN 1500**

LDVAL BAT 1500 40/60W 830/840 4X1 AU LEDV 4099854232268 40/ 4000/ 3000/ 60 6000 4000 120 100 × 1500 160 62 2360

#### **ABOUT LEDVANCE**

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.



Customer Service Phone: 1300 467 726

E-mail: sales.au@ledvance.com

LEDVANCE Pty Ltd Unit 3, 83 Derby St Silverwater NSW 2128 Australia

WIDE BATTEN 1500 03/07/2

