

LED VALUE HIGH OUTPUT PANEL



LED VALUE HIGH OUTPUT PANEL

The LEDVANCE Value High Output Panel family comes in 4 sizes and 3 wattages, offering high efficacy at 120lm/W achieving a luminous flux of 6000lm. With a low glare rating of UGR19, this classic style panel is the perfect solution for your office lighting. All LEDVANCE Panels can be surface mounted recessed or suspended making it the ideal replacement for traditional troffers fittings

Low glare rating

LED Value High output panels offer a uniform light with low glare at UGR19.

Backlit LED technology

LED mounted on the aluminium backplate allowing greater heat dissipation over conventional edge lit panels

Mounting options

Recess, surface mount and suspension kits also available offering multiple application options

Easy installation

Complete with 1.5m flex and plug

Multiple functions

LED Value panel is complete with fast connector enabling all dimming options such as DALI

Applications

4 Different sizes ideal for T-bar ceiling grids to suit offices, corridors, and general commercial buildings

High performance

High efficacy of 120lm/W offering substantial cost reduction thanks to LED technology

Lifetime

Long lifetime of up to 60,000 hrs implying over 13 years of use, if switched on for 12 hours a day. All LEDVALUE panels come with 5- year warranty or 60,000hrs as standard.

Single colour

Available in two different colour temperature 4000K and 5700K helping you to choose the right LED lights for your application



PRODUCT AESTHETICS

- Slim and stylish design
- Available in 4 different sizes
- Complete with 1.5m flex and plug and fast connector

Key Sellers

Wattage	36W	36W
Model	LDVPANHO031236W840	LDVPANHO060636W840
Lumens	4320lm	4320lm
Lm/W	120	120
CCT	4000K	4000K



AVAILABLE SIZES



25W
295mm x 595mm



36W
295mm x 1195mm



36W
595mm x 595mm




50W
595mm x 1195mm

Full product offering, please see the ordering information page

TECHNICAL INFORMATION

Photometrics

(example of LDVPANHO031236W840)



Slim design

LED Value panels are shallow and stylish with a 35mm recess

Mounting options

Recess, surface mount and suspension kits also available offering multiple application options

Easy installation

Complete with 1.5m flex and plug

Single colour

Available in 4000K and 5700K

Multiple functions

Complete with fast connector enabling all dimming options such as DALI

High performance

120lm/W with a 5-year warranty

Lifetime


60,000hrs

IP20

UGR19

60000h

Size (mm)	300x600	600x600	300x1200	600x1200
Wattage	25W	36W	36W	50W
Key Model	LDVPANHO030625W840	LDVPANHO060636W840	LDVPANHO031236W840	LDVPANHO061250W840
Lumens	3000	4320	4320	6000
Lm/W	120	120	120	120
CCT	4000K	4000K	4000K	4000K
IP	20	20	20	20
CRI	80	80	80	80
UGR	19	19	19	19
Lifetime (L70 B50 @ 25°C)	60000	60000	60000	60000
Operating temperature	-20 ~ +50	-20 ~ +50	-20 ~ +50	-20 ~ +50
Beam angle	90°	90°	90°	90°
Length (mm)	595	595	1195	1195
Width (mm)	295	595	295	595
Height (mm)	32	32	32	32
Finish	White	White	White	White
PF	0.9	0.9	0.9	0.9
Dimmable	Fast Connector	Fast Connector	Fast Connector	Fast Connector
Housing Material	SPCC	SPCC	SPCC	SPCC
Driver mA	570	760	760	1070
Output voltage	35-43	35-43	35-43	35-43
Warranty	5 years	5 years	5 years	5 years



ORDERING INFORMATION



LED VALUE HIGH OUTPUT PANEL

Product name	EAN10	Model Number	Wattage (W)	Lumens (lm)	CCT (K)	CRI	IP	IK	Beam Angle (°)	UGR	Lifetime (hrs)	lm/W	Length (mm)	Width (mm)	Height (mm)	Weight (g)	Dimmable	Driver output current (mA)	Driver output voltage (V)	Material	Product colour	Warranty
LDVAL PANEL H00306 25W840UGR194X1 AULEDV	4058075505445	LDVPANH0030625W840	25	3000	4000	80	20	02	90	19	60000	120	595	295	32	1120g	Fast Connector	570	35-43	SPCC	White	5 years
LDVAL PANEL H00306 25W857UGR194X1 AULEDV	4058075505469	LDVPANH0030625W857	25	3000	5700	80	20	02	90	19	60000	120	595	295	32	1120g	Fast Connector	570	35-43	SPCC	White	5 years
LDVAL PANEL H00606 36W840UGR194X1 AULEDV	4058075505483	LDVPANH0060636W840	36	4320	4000	80	20	02	90	19	60000	120	595	595	32	1940g	Fast Connector	760	35-43	SPCC	White	5 years
LDVAL PANEL H00606 36W857UGR194X1 AULEDV	4058075505506	LDVPANH0060636W857	36	4320	5700	80	20	02	90	19	60000	120	595	595	32	1940g	Fast Connector	760	35-43	SPCC	White	5 years
LDVAL PANEL H00312 36W840UGR194X1 AULEDV	4058075505520	LDVPANH0031236W840	36	4320	4000	80	20	02	90	19	60000	120	1195	295	32	1360g	Fast Connector	760	35-43	SPCC	White	5 years
LDVAL PANEL H00312 36W857UGR194X1 AULEDV	4058075505544	LDVPANH0031236W857	36	4320	5700	80	20	02	90	19	60000	120	1195	295	32	1360g	Fast Connector	760	35-43	SPCC	White	5 years
LDVAL PANEL H00612 50W840UGR194X1 AULEDV	4058075505568	LDVPANH0061250W840	50	6000	4000	80	20	02	90	19	60000	120	1195	595	32	4050g	Fast Connector	1070	35-43	SPCC	White	5 years
LDVAL PANEL H00612 50W857UGR194X1 AULEDV	4058075505582	LDVPANH0061250W857	50	6000	5700	80	20	02	90	19	60000	120	1195	595	32	4050g	Fast Connector	1070	35-43	SPCC	White	5 years

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.



LEDVANCE

LEDVANCE PTY LTD
Head Office
Suite 2.1A 394 Lane Cove Road
Macquarie Park NSW 2113
Phone 1300 467 726
www.ledvance.com.au